

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/3/2025 Revision date: 4/3/2025 Supersedes version of: 9/22/2023 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : SWEET CHERRY #EU23269F UFI : 9SE2-F2MN-N00X-0HJ4

Product code : EU23269F

Type of product : Perfumes, fragrances
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects. Suspected of damaging fertility or the unborn child. Harmful if swallowed. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

4/3/2025 (Revision date) EN (English) 1/23

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS08

GHS09

Signal word (CLP) : Warning

Contains : benzyl benzoate; benzaldehyde; Aldehyde C-16; Hexyl cinnamic aldehyde; Orange oil ;

Oxypheylon (Raspberry ketone) crystals; Geranyl acetate; Citronellol Pure; beta-

Caryophyllene; Triplal (Vertocitral)

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility or the unborn child. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Extra phrases : For professional users only.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	35.7 – 71.322	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	2.6 – 5.25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
beta-lonone	CAS-No.: 14901-07-6 EC-No.: 238-969-9	1.8 – 3.5	Aquatic Chronic 2, H411

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	1.6 – 3.1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411				
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	1.1 – 2.1	Aquatic Chronic 3, H412				
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.9 – 1.75	Skin Sens. 1, H317 Aquatic Chronic 2, H411				
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.9 – 1.75	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411				
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	0.5 – 1	Acute Tox. 4 (Oral), H302				
alpha-lonone	CAS-No.: 127-41-3 EC-No.: 204-841-6 REACH-no: 01-2119965149- 27	0.5 – 1	Aquatic Chronic 3, H412				
Ethyl acetoacetate substance with national workplace exposure limit(s) (RO)	CAS-No.: 141-97-9 EC-No.: 205-516-1	0.4 – 0.7	Not classified				
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.25	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412				
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.1 – 0.2	Flam. Liq. 3, H226				
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.1 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317				
beta-Caryophyllene	CAS-No.: 87-44-5 EC-No.: 201-746-1 REACH-no: 01-2120745237- 53	0.1 – 0.15	Asp. Tox. 1, H304 Skin Sens. 1B, H317				
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1 EC Index-No.: 605-043-00-4	0.1 – 0.1168	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412				

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier %						
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0014	Aquatic Chronic 3, H412				
Aldehyde C-6 substance with national workplace exposure limit(s) (FI, PL)	CAS-No.: 66-25-1 EC-No.: 200-624-5	0 – 0.0004	Flam. Liq. 3, H226				

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical

advice/attention. Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do NOT induce vomiting. Obtain emergency medical attention. Rinse mouth. Call a

POISON CENTER/doctor if you feel unwell. Call a poison center or a doctor if you feel

unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

4/3/2025 (Revision date) EN (English) 4/23

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good

ventilation in process area to prevent formation of vapour. Avoid breathing

dust/fume/gas/mist/vapours/spray. No open flames. No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear

personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store locked up. Store in a well-

ventilated place. Keep cool.
Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

: 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

### 7.3. Specific end use(s)

Incompatible products

Storage temperature

No additional information available

4/3/2025 (Revision date) EN (English) 5/23

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

benzaldehyde (100-52-7)								
Bulgaria - Occupational Exposure Limits								
OEL TWA	5 mg/m³							
Finland - Occupational Exposure Limits								
HTP (OEL TWA)	4.4 mg/m³							
	1 ppm							
HTP (OEL C)	17.4 mg/m³							
	4 ppm							
Hungary - Occupational Exposure Limits								
AK (OEL TWA)	5 mg/m³							
CK (OEL STEL)	10 mg/m³							
Latvia - Occupational Exposure Limits								
OEL TWA	5 mg/m³							
Lithuania - Occupational Exposure Limits								
IPRV (OEL TWA)	5 mg/m³							
Poland - Occupational Exposure Limits								
NDS (OEL TWA)	10 mg/m³							
NDSCh (OEL STEL)	40 mg/m³							
Benzyl acetate (140-11-4)								
Belgium Commeticuel E 11 11								
Belgium - Occupational Exposure Limits								
OEL TWA	62 mg/m³							
	62 mg/m³ 10 ppm							
OEL TWA								
OEL TWA  Denmark - Occupational Exposure Limits	10 ppm							
OEL TWA  Denmark - Occupational Exposure Limits	10 ppm  61 mg/m³							
OEL TWA  Denmark - Occupational Exposure Limits  OEL TWA	10 ppm  61 mg/m³  10 ppm							
OEL TWA  Denmark - Occupational Exposure Limits  OEL TWA	10 ppm  61 mg/m³  10 ppm  122 mg/m³							
OEL TWA  Denmark - Occupational Exposure Limits  OEL TWA  OEL STEL	10 ppm  61 mg/m³  10 ppm  122 mg/m³							
OEL TWA  Denmark - Occupational Exposure Limits  OEL TWA  OEL STEL  Ireland - Occupational Exposure Limits	10 ppm  61 mg/m³  10 ppm  122 mg/m³  20 ppm							
Denmark - Occupational Exposure Limits  OEL TWA  OEL STEL  Ireland - Occupational Exposure Limits  OEL TWA	10 ppm  61 mg/m³  10 ppm  122 mg/m³  20 ppm  10 ppm							
Denmark - Occupational Exposure Limits  OEL TWA  OEL STEL  Ireland - Occupational Exposure Limits  OEL TWA  OEL STEL	10 ppm  61 mg/m³  10 ppm  122 mg/m³  20 ppm  10 ppm							
Denmark - Occupational Exposure Limits OEL TWA OEL STEL Ireland - Occupational Exposure Limits OEL TWA OEL STEL Latvia - Occupational Exposure Limits	10 ppm  61 mg/m³  10 ppm  122 mg/m³  20 ppm  10 ppm  30 ppm (calculated)							
Denmark - Occupational Exposure Limits  OEL TWA  OEL STEL  Ireland - Occupational Exposure Limits  OEL TWA  OEL STEL  Latvia - Occupational Exposure Limits  OEL TWA	10 ppm  61 mg/m³  10 ppm  122 mg/m³  20 ppm  10 ppm  30 ppm (calculated)							
Denmark - Occupational Exposure Limits  OEL TWA  OEL STEL  Ireland - Occupational Exposure Limits  OEL TWA  OEL STEL  Latvia - Occupational Exposure Limits  OEL TWA  Lithuania - Occupational Exposure Limits	10 ppm  61 mg/m³  10 ppm  122 mg/m³  20 ppm  10 ppm  30 ppm (calculated)  5 mg/m³							

# Safety Data Sheet

Benzyl acetate (140-11-4)								
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen							
Romania - Occupational Exposure Limits								
OEL TWA	50 mg/m³							
	8 ppm							
OEL STEL	80 mg/m³							
	13 ppm							
Spain - Occupational Exposure Limits								
VLA-ED (OEL TWA)	62 mg/m³							
	10 ppm							
USA - ACGIH - Occupational Exposure Limits								
ACGIH OEL TWA	10 ppm							
ACGIH chemical category	Not Classifiable as a Human Carcinogen							
Ethyl acetoacetate (141-97-9)								
Romania - Occupational Exposure Limits								
OEL TWA	100 mg/m³							
	19 ppm							
OEL STEL	200 mg/m³							
	38 ppm							
isopentyl acetate (123-92-2)								
EU - Indicative Occupational Exposure Limit (IOEL)								
IOEL TWA	270 mg/m³							
	50 ppm							
IOEL STEL	540 mg/m³							
	100 ppm							
Austria - Occupational Exposure Limits								
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))							
	50 ppm (Pentyl acetate (all isomers))							
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)							
	100 ppm (Pentylacetate)							
Belgium - Occupational Exposure Limits								
OEL TWA	270 mg/m³							
	50 ppm							
OEL STEL	540 mg/m³							
	100 ppm							
Bulgaria - Occupational Exposure Limits								
OEL TWA	270 mg/m³							
	50 ppm							
OEL STEL	540 mg/m³							

# Safety Data Sheet

isopentyl acetate (123-92-2)								
	100 ppm							
Croatia - Occupational Exposure Limits								
GVI (OEL TWA)	270 mg/m³							
	50 ppm							
KGVI (OEL STEL)	540 mg/m³							
	100 ppm							
Cyprus - Occupational Exposure Limits								
OEL TWA	270 mg/m³							
	50 ppm							
OEL STEL	540 mg/m³							
	100 ppm							
Denmark - Occupational Exposure Limits								
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)							
	50 ppm (Amyl acetate, all isomers)							
OEL STEL	540 mg/m³							
	100 ppm							
Estonia - Occupational Exposure Limits								
OEL TWA	270 mg/m³							
	50 ppm							
OEL STEL	540 mg/m³							
	100 ppm							
Finland - Occupational Exposure Limits								
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)							
	50 ppm (Pentyl acetate)							
HTP (OEL STEL)	540 mg/m³							
	100 ppm							
France - Occupational Exposure Limits								
VME (OEL TWA)	270 mg/m³ (restrictive limit)							
	50 ppm (restrictive limit)							
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)							
	100 ppm (restrictive limit)							
Germany - Occupational Exposure Limits (TRGS 90	00)							
AGW (OEL TWA)	270 mg/m³							
	50 ppm							
Gibraltar - Occupational Exposure Limits								
OEL TWA	270 mg/m³							
	50 ppm							
OEL STEL	540 mg/m³							
	100 ppm							

# Safety Data Sheet

isopentyl acetate (123-92-2)							
Greece - Occupational Exposure Limits							
OEL TWA	530 mg/m³						
	100 ppm						
OEL STEL	800 mg/m³						
	150 ppm						
Hungary - Occupational Exposure Limits							
AK (OEL TWA)	270 mg/m³						
CK (OEL STEL)	540 mg/m³						
Ireland - Occupational Exposure Limits							
OEL TWA	260 mg/m³						
	50 ppm						
OEL STEL	520 mg/m³						
	100 ppm						
Italy - Occupational Exposure Limits							
OEL TWA	270 mg/m³						
	50 ppm						
OEL STEL	540 mg/m³						
	100 ppm						
Latvia - Occupational Exposure Limits							
OEL TWA	270 mg/m³						
	50 ppm						
Lithuania - Occupational Exposure Limits							
IPRV (OEL TWA)	270 mg/m³						
	50 ppm						
TPRV (OEL STEL)	540 mg/m³						
	100 ppm						
Luxembourg - Occupational Exposure Limits							
OEL TWA	270 mg/m³						
	50 ppm						
OEL STEL	540 mg/m³						
	100 ppm						
Malta - Occupational Exposure Limits							
OEL TWA	270 mg/m³						
	50 ppm						
OEL STEL	540 mg/m³						
	100 ppm						
Netherlands - Occupational Exposure Limits							
TGG-15min (OEL STEL)	530 mg/m³						
	98.1 ppm						

# Safety Data Sheet

isopentyl acetate (123-92-2)									
Poland - Occupational Exposure Limits									
NDS (OEL TWA)	250 mg/m³								
NDSCh (OEL STEL)	500 mg/m³								
Portugal - Occupational Exposure Limits									
OEL TWA	270 mg/m³ (indicative limit value)								
	50 ppm (indicative limit value (Pentyl acetate, all isomers)								
OEL STEL	540 mg/m³ (indicative limit value)								
	100 ppm (indicative limit value)								
Romania - Occupational Exposure Limits									
OEL TWA	270 mg/m³								
	50 ppm								
OEL STEL	540 mg/m³								
	100 ppm								
Slovakia - Occupational Exposure Limits									
NPHV (OEL TWA)	270 mg/m³								
	50 ppm								
NPHV (OEL C)	540 mg/m³								
Slovenia - Occupational Exposure Limits									
OEL TWA	270 mg/m³								
	50 ppm								
OEL STEL	540 mg/m³								
	100 ppm								
Spain - Occupational Exposure Limits									
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)								
	50 ppm (indicative limit value)								
VLA-EC (OEL STEL)	540 mg/m³								
	100 ppm								
Sweden - Occupational Exposure Limits									
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)								
	50 ppm (Pentyl acetates)								
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)								
	100 ppm (Pentyl acetates)								
Norway - Occupational Exposure Limits									
Grenseverdi (OEL TWA)	260 mg/m³								
	50 ppm								
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)								
	75 ppm (value calculated)								
Switzerland - Occupational Exposure Limits									
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)								

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

isopentyl acetate (123-92-2)								
	50 ppm (Pentyl acetate all isomers)							
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)							
	50 ppm (Pentyl acetate all isomers)							
USA - ACGIH - Occupational Exposure Limits								
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)							
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)							
Alcohol C-10 (112-30-1)								
Bulgaria - Occupational Exposure Limits								
OEL TWA	10 mg/m³							
Germany - Occupational Exposure Limits (TRGS 90	0)							
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)							
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)							
Latvia - Occupational Exposure Limits								
OEL TWA	10 mg/m³							
Lithuania - Occupational Exposure Limits								
IPRV (OEL TWA)	10 mg/m³							
Romania - Occupational Exposure Limits								
OEL TWA	100 mg/m³							
	15 ppm							
OEL STEL	200 mg/m³							
	30 ppm							
Switzerland - Occupational Exposure Limits								
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)							
	10 ppm (aerosol, vapour)							
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)							
	10 ppm (aerosol, vapour)							
Aldehyde C-6 (66-25-1)								
Finland - Occupational Exposure Limits								
HTP (OEL STEL)	42 mg/m³							
	10 ppm							
Poland - Occupational Exposure Limits								
NDS (OEL TWA)	40 mg/m³							
NDSCh (OEL STEL)	80 mg/m³							

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

## Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves. Wear protective gloves.

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Conforms to standard.
Odour : characteristic. characteristic.

Odour threshold: Not availableMelting point: Not applicableFreezing point: Not availableBoiling point: Not available

Flammability : Not applicable, Combustible liquid

Lower explosion limit : Not available Upper explosion limit : Not available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flash point : 86 °C

Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available
Viscosity, kinematic : Not available
Solubility : Not available
Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.002939211 mm Hg (calculated value)

Vapour pressure at  $50^{\circ}$ C : Not available Density : Not available Relative density :  $\approx 0.95$  Relative vapour density at  $20^{\circ}$ C : Not available Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 13.2461 % (calculated value)(CARB VOC) (%w/w)

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions. Combustible liquid. May form flammable/explosive vapour-air mixture.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

SWEET CHERRY #EU23269F	)F	9	6	4	2	3	2	U	3	Ė	#	Y	R	₹	F	Ε	1	ł	C	Г	Ξ	Ε	V	۷	3	5
------------------------	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ATE CLP (oral) 678.127 mg/kg bodyweight

#### benzyl benzoate (120-51-4)

LD50 oral rat > 2000 mg/kg (Source: ECHA\_API)

# Safety Data Sheet

benzyl benzoate (120-51-4)	
LD50 oral	1160 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
benzaldehyde (100-52-7)	
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation - Rat	< 5 mg/l/4h
beta-lonone (14901-07-6)	
LD50 oral rat	4590 mg/kg (Source: NLM_HSDB)
LD50 oral	3940 mg/kg bodyweight
Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
Orange oil (8008-57-9)	
LD50 oral rat	4400 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)
LD50 oral rat	1320 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
alpha-lonone (127-41-3)	
LD50 oral	4590 mg/kg bodyweight
Ethyl acetoacetate (141-97-9)	
LD50 oral rat	3980 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: NLM_CIP)
Geranyl acetate (105-87-3)	
LD50 oral rat	6330 mg/kg (Source: NLM_CIP)
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 oral	3450 mg/kg bodyweight

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Citronellol Pure (106-22-9)	
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
LD50 dermal	2650 mg/kg bodyweight
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	2330 mg/kg
Alcohol C-10 (112-30-1)	
LD50 oral rat	4720 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)
Aldehyde C-6 (66-25-1)	
LD50 oral rat	4890 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 8100 mg/kg (Source: ECHA_API)
Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity :	Not classified Not classified May cause an allergic skin reaction. Not classified Not classified Not classified
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
•	Suspected of damaging fertility or the unborn child. Not classified
benzaldehyde (100-52-7)	
STOT-single exposure	May cause respiratory irritation.
	Not classified Not classified
benzyl benzoate (120-51-4)	
Viscosity, kinematic	7.456 mm²/s
beta-Caryophyllene (87-44-5)	
Hydrocarbon	Yes

## 11.2. Information on other hazards

## 11.2.1. Endocrine disrupting properties

No additional information available

### 11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met, Harmful if swallowed.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects. Very toxic to aquatic life. Toxic to aquatic life

with long lasting effects.

 $\label{thm:local_equation} \mbox{Hazardous to the aquatic environment, short-term}$ 

(acute)

: Very toxic to aquatic life.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects. (chronic)

benzyl benzoate (120-51-4)		
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
NOEC (chronic)	0.168 mg/l	
benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
Ethyl acetoacetate (141-97-9)		
LC50 - Fish [1]	298 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)	
LC50 - Fish [2]	290 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)	
EC50 - Crustacea [1]	646 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50 72h - Algae [1]	> 500 mg/l (Species: Desmodesmus subspicatus)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
Aldehyde C-6 (66-25-1)		
LC50 - Fish [1]	12 – 16.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	

# 12.2. Persistence and degradability

SWEET CHERRY #EU23269F	
Persistence and degradability	Not established.
benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.
benzaldehyde (100-52-7)	
Persistence and degradability	Rapidly degradable
beta-lonone (14901-07-6)	
Persistence and degradability	Rapidly degradable
Aldehyde C-16 (77-83-8)	
Persistence and degradability	Rapidly degradable
Benzyl acetate (140-11-4)	
Persistence and degradability	Rapidly degradable

# Safety Data Sheet

Hexyl cinnamic aldehyde (101-86-0)	
Persistence and degradability	Rapidly degradable
Orange oil (8008-57-9)	
Persistence and degradability	Rapidly degradable
Oxypheylon (Raspberry ketone) crystals (5471-51-2)	
Persistence and degradability	Rapidly degradable
alpha-lonone (127-41-3)	
Persistence and degradability	Rapidly degradable
Ethyl acetoacetate (141-97-9)	
Persistence and degradability	Rapidly degradable
Geranyl acetate (105-87-3)	
Persistence and degradability	Rapidly degradable
isopentyl acetate (123-92-2)	
Persistence and degradability	Rapidly degradable
Citronellol Pure (106-22-9)	
Persistence and degradability	Rapidly degradable
beta-Caryophyllene (87-44-5)	
Persistence and degradability	Rapidly degradable
Triplal (Vertocitral) (68039-49-6)	
Persistence and degradability	Rapidly degradable
Alcohol C-10 (112-30-1)	
Persistence and degradability	Rapidly degradable
Aldehyde C-6 (66-25-1)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
SWEET CHERRY #EU23269F	
Bioaccumulative potential	Not established.
benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Bioaccumulative potential	Not established.
benzaldehyde (100-52-7)	
BCF - Fish [1]	(no significant bioaccumulation)
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)
beta-lonone (14901-07-6)	
Partition coefficient n-octanol/water (Log Pow)	1.903 (at 27 °C (at pH 5.7)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)	
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)	
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)	
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)	
alpha-lonone (127-41-3)		
Partition coefficient n-octanol/water (Log Pow)	3.896 (at 25 °C (at pH 7.2)	
Ethyl acetoacetate (141-97-9)		
Partition coefficient n-octanol/water (Log Pow)	0.8 (at 20 °C)	
Geranyl acetate (105-87-3)		
Partition coefficient n-octanol/water (Log Pow)	4.04	
isopentyl acetate (123-92-2)		
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)	
Citronellol Pure (106-22-9)		
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)	
beta-Caryophyllene (87-44-5)		
Partition coefficient n-octanol/water (Log Pow)	6.23 (at 25 °C (at pH 7)	
Triplal (Vertocitral) (68039-49-6)		
Partition coefficient n-octanol/water (Log Pow)	2.6	
Alcohol C-10 (112-30-1)		
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)	
Aldehyde C-6 (66-25-1)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 5)	

# 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

4/3/2025 (Revision date) EN (English) 18/23

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**Ecological information** 

HP Code

: Avoid release to the environment.

: HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber	'		
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate), 9, III
14.3. Transport hazard o	class(es)			
9	9	9	9	9
<u>*************************************</u>		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u>*************************************</u>
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

# 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19

4/3/2025 (Revision date) EN (English) 19/23

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container instructions (ADR) : T4

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV Vehicle for tank carriage : AT Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) 90

Orange plates

90 3082

Tunnel restriction code (ADR)

EAC code •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) PP1 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1, TP29 EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y964 PCA limited quantity max net quantity (IATA) : 30kgG PCA packing instructions (IATA) : 964 PCA max net quantity (IATA) : 450L CAO packing instructions (IATA) : 964 CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

**Inland waterway transport** 

Classification code (ADN) · M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T : PP Equipment required (ADN) Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1 Mixed packing provisions (RID) · MP19 Portable tank and bulk container instructions (RID) : T4 Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Orange oil ; isopentyl acetate ; Aldehyde C-6	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	SWEET CHERRY #EU23269F; benzyl benzoate; benzaldehyde ; Aldehyde C-16; Hexyl cinnamic aldehyde; Orange oil; Geranyl acetate; Citronellol Pure; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	SWEET CHERRY #EU23269F; benzyl benzoate; beta-lonone; Aldehyde C-16; Benzyl acetate; Hexyl cinnamic aldehyde; Orange oil; alpha-lonone; Geranyl acetate; Triplal (Vertocitral); Alcohol C- 10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Orange oil ; isopentyl acetate ; Aldehyde C-6	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### VOC Directive (2004/42)

VOC content : 13.2461 % (calculated value)(CARB VOC) (%w/w)

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.1.2. National regulations

#### **France**

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

### Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(1) - highly toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen – Borstvoeding

SZW-lijst van reprotoxische stoffen –

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling

Orange oil ,Triplal (Vertocitral) are listed

: Orange oil ,Triplal (Vertocitral) are listed

: None of the components are listed

: None of the components are listed

: None of the components are listed

### **Denmark**

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Other information : None.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUF	I-statements:
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.