

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 4/3/2025 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : MARZIPAN ALMOND #EU24129F

UFI : WKT4-R272-200J-V3PM

Product code : EU24129F

Type of product : Perfumes, fragrances
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only : Perfumes, fragrances

Function or use category : Odour agents

#### 1.2.2. Uses advised against

Use of the substance/mixture

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

#### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhalation:dust,mist) Category 4 H332
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Specific target organ toxicity – Single exposure, Category 3, H335

Respiratory tract irritation

Hazardous to the aquatic environment – Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Harmful if inhaled. May cause respiratory irritation. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects. May cause an allergic skin reaction.

4/3/2025 (Issue date) EN (English) 1/25

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS08

Signal word (CLP) : Warning

Contains : benzaldehyde; Aldehyde C-16; Eugenol; Allyl caproate; benzyl alcohol

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

H361 - Suspected of damaging fertility or the unborn child. H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

Extra phrases : For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
benzaldehyde substance with national workplace exposure limit(s) (BG, FI, HU, LT, LV, PL)	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540-	18 – 36	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361 STOT SE 3, H335
Resin acids and Rosin acids, hydrogenated, methyl esters	CAS-No.: 8050-15-5 EC-No.: 232-476-2	9.6 – 19.1	Aquatic Chronic 3, H412
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	2.6 – 5.2	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	1.3 – 2.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Ethyl vanillin	CAS-No.: 121-32-4 EC-No.: 204-464-7 REACH-no: 01-211958961-24	1 – 2	Eye Irrit. 2, H319
acetophenone substance with national workplace exposure limit(s) (BE, BG, DK, ES, FI, HU, IE, LT, LV, PL, PT, RO)	CAS-No.: 98-86-2 EC-No.: 202-708-7 EC Index-No.: 606-042-00-1 REACH-no: 01-2119533169- 37	0.8 – 1.6	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.7 – 1.35	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
ethyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5 REACH-no: 01-2119475103-	0.5 – 1	Flam. Liq. 1, H224 Eye Irrit. 2, H319 STOT SE 3, H336
benzyl alcohol substance with national workplace exposure limit(s) (BG, CZ, DE, FI, LT, LV, PL, SI, CH)	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5 REACH-no: 01-2119492630- 38	0.2 – 0.3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
isobutyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR)	CAS-No.: 110-19-0 EC-No.: 203-745-1 EC Index-No.: 607-026-00-7	0.1 – 0.25	Flam. Liq. 2, H225 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

4/3/2025 (Issue date) EN (English) 4/25

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Keep in fireproof place. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible products

: Strong bases. Strong acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources.

Storage temperature

: 25 °C

Storage area

: Store in a well-ventilated place. Store away from heat.

Special rules on packaging Packaging materials

Store in a closed container.Do not store in corrodable metal.

#### Germany

Storage class (LGK, TRGS 510)

: LGK 10 - Combustible liquids

Joint storage table

:	LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
	LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
	LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
	LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
	LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

: LGK 1, LGK 2A, LGK 5.1A, LGK 6.2, LGK 7

Joint storage with restrictions permitted for

: LGK 4.1A, LGK 4.2, LGK 4.3, LGK 5.1B, LGK 5.1C, LGK 5.2

Joint storage permitted for

 $: \; \mathsf{LGK} \; \mathsf{2B}, \mathsf{LGK} \; \mathsf{3}, \mathsf{LGK} \; \mathsf{4.1B}, \mathsf{LGK} \; \mathsf{6.1A}, \mathsf{LGK} \; \mathsf{6.1B}, \mathsf{LGK} \; \mathsf{6.1C}, \mathsf{LGK} \; \mathsf{6.1D}, \mathsf{LGK} \; \mathsf{8A}, \mathsf{LGK} \; \mathsf{8B}, \mathsf{LGK} \; \mathsf{4.1B}, \mathsf{LGK} \; \mathsf{4.1B$ 

LGK 10, LGK 11, LGK 12, LGK 13, LGK 10-13

#### **Switzerland**

Storage class (LK) : LK 6.1 - Toxic materials

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

benzaldehyde (100-52-7)		
Bulgaria - Occupational Exposure Limits	Bulgaria - Occupational Exposure Limits	
OEL TWA	DEL TWA 5 mg/m³	
Finland - Occupational Exposure Limits		
TP (OEL TWA) 4.4 mg/m³		
	1 ppm	

## Safety Data Sheet

benzaldehyde (100-52-7)		
HTP (OEL C)	17.4 mg/m³	
(5== 5)	4 ppm	
Hungary - Occupational Exposure Limits	· FF	
AK (OEL TWA)	5 mg/m³	
CK (OEL STEL)	10 mg/m³	
Latvia - Occupational Exposure Limits	i o mg/m	
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	10 mg/m³	
NDSCh (OEL STEL)	40 mg/m³	
acetophenone (98-86-2)		
Belgium - Occupational Exposure Limits OEL TWA	E0 malm3	
OEL IWA	50 mg/m³	
Bulgaria Ossupstianal Evassura Limita	10 ppm	
Bulgaria - Occupational Exposure Limits	5	
OEL TWA	5 mg/m³	
Denmark - Occupational Exposure Limits	40	
OEL TWA	49 mg/m³	
OFL OTEL	10 ppm	
OEL STEL	98 mg/m³	
Find and Comment and Francisco Limite	20 ppm	
Finland - Occupational Exposure Limits	05	
HTP (OEL TWA)	25 mg/m³	
	5 ppm	
Hungary - Occupational Exposure Limits	50 / 2	
AK (OEL TWA)	50 mg/m³	
Ireland - Occupational Exposure Limits	10 / 2	
OEL TWA	49 mg/m³	
051, 0751	10 ppm	
OEL STEL	147 mg/m³ (calculated)	
Latin Comments 15	30 ppm (calculated)	
Latvia - Occupational Exposure Limits	5	
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits	I_	
IPRV (OEL TWA)	5 mg/m³	
OEL chemical category	Skin notation	

## Safety Data Sheet

acetophenone (98-86-2)			
Poland - Occupational Exposure Limits	Poland - Occupational Exposure Limits		
NDS (OEL TWA)	50 mg/m³		
NDSCh (OEL STEL)	100 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	10 ppm		
Romania - Occupational Exposure Limits			
OEL TWA	100 mg/m³		
	20 ppm		
OEL STEL	200 mg/m³		
	41 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	50 mg/m³		
	10 ppm		
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	10 ppm		
ethyl acetate (141-78-6)			
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	734 mg/m³		
	200 ppm		
IOEL STEL	1468 mg/m³		
	400 ppm		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	734 mg/m³		
	200 ppm		
MAK (OEL STEL)	1468 mg/m³		
	400 ppm		
Belgium - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Bulgaria - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Croatia - Occupational Exposure Limits			
GVI (OEL TWA)	734 mg/m³		
	200 ppm		

## Safety Data Sheet

ethyl acetate (141-78-6)		
KGVI (OEL STEL)	1468 mg/m³	
	400 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Czech Republic - Occupational Exposure Lim	nits	
PEL (OEL TWA)	700 mg/m³	
Denmark - Occupational Exposure Limits	<u>'</u>	
OEL TWA	540 mg/m³	
	150 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Estonia - Occupational Exposure Limits	<u>'</u>	
OEL TWA	500 mg/m³	
	150 ppm	
OEL STEL	1100 mg/m³	
	300 ppm	
Finland - Occupational Exposure Limits	'	
HTP (OEL TWA)	730 mg/m³	
	200 ppm	
HTP (OEL STEL)	1470 mg/m³	
	400 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	734 mg/m³ (restrictive limit)	
	200 ppm (restrictive limit)	
VLE (OEL C/STEL)	1468 mg/m³ (restrictive limit)	
	400 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TR	RGS 900)	
AGW (OEL TWA)	730 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	200 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
	734 ppm	
OEL STEL	400 mg/m³	
	1468 ppm	

## Safety Data Sheet

ethyl acetate (141-78-6)		
Greece - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	734 mg/m³	
CK (OEL STEL)	1468 mg/m³	
OEL chemical category	Sensitizer	
Ireland - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	200 mg/m³	
	54 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	500 mg/m³	
	150 ppm	
NRV (OEL C)	1100 mg/m³	
	300 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	734 mg/m³	
	200 ppm	
OEL STEL	1468 mg/m³	
	400 ppm	
Netherlands - Occupational Exposure Limits		
TGG-8u (OEL TWA)	734 mg/m³	

## Safety Data Sheet

ethyl acetate (141-78-6)			
	200 ppm		
TGG-15min (OEL STEL)	1468 mg/m³		
	400 ppm		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	734 mg/m³		
NDSCh (OEL STEL)	1468 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	734 mg/m³ (indicative limit value)		
	200 ppm (indicative limit value)		
OEL STEL	1468 mg/m³ (indicative limit value)		
	400 ppm (indicative limit value)		
Romania - Occupational Exposure Limits			
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA)	734 mg/m³		
	200 ppm		
NPHV (OEL C)	1468 mg/m³		
Slovenia - Occupational Exposure Limits	Slovenia - Occupational Exposure Limits		
OEL TWA	734 mg/m³		
	200 ppm		
OEL STEL	1468 mg/m³		
	400 ppm		
Spain - Occupational Exposure Limits			
VLA-ED (OEL TWA)	734 mg/m³		
	200 ppm		
VLA-EC (OEL STEL)	1468 mg/m³		
	400 ppm		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	550 mg/m³		
	150 ppm		
KGV (OEL STEL)	1100 mg/m³		
	300 ppm		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA)	734 mg/m³		
	200 ppm		
WEL STEL (OEL STEL)	1468 mg/m³		

## Safety Data Sheet

EXZEW (OEL STEL)  1460 mg/m²  400 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  400 ppm  benzyl alcohol (100-51-6)  Bulgaria - Occupational Exposure Limits  OEL TWA  5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  40 mg/m²  Finiand - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m³  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Spym (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  Sim p/m³  Cel chemical category  Skin notation  S mg/m³  Sim p/m³  Sim notation  S mg/m³  Sim notation	ethyl acetate (141-78-6)			
Grenseverid (OEL TWA) 734 mg/m² 200 ppm  Korttidsverid (OEL STEL) 1468 mg/m² (value from the regulation)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA) 730 mg/m² 200 ppm  KZGW (OEL STEL) 1460 mg/m² 400 ppm  KZGW (OEL STEL) 1460 mg/m² 400 ppm  WAS - ACGIH - Occupational Exposure Limits  WAS - ACGIH - Occupational Exposure Limits  WEL TWA 800 ppm  Bulgaria - Occupational Exposure Limits  OEL TWA 5 mg/m² 5  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 40 mg/m² 7  Finland - Occupational Exposure Limits  WITP (OEL TWA) 45 mg/m² 7  Finland - Occupational Exposure Limits  WITP (OEL TWA) 45 mg/m² 7  Finland - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 20 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category 8kin notation  Chemical category 8kin notation  Chemical category 8kin notation  Chemical category 8kin notation  Poland - Occupational Exposure Limits  WEV (OEL TWA) 5 mg/m²  Cel TWA 5 mg/m²  OEL TWA 5 mg/m²  Skin notation  Poland - Occupational Exposure Limits  WEV (OEL TWA) 5 mg/m²  Skin notation  Cel TWA 240 mg/m²  Skin notation  Cel TWA 5 mg/m²  Skin notation  Cel TWA 6 mg/m²  Skin notation  Cel TWA 6 mg/m²  Skin notation  Cel TWA 7 mg/m²  Skin notation  Cel TWA 6 mg/m²  Skin notation  At mg/m²  At mg/m²  Skin notation  At mg/m²  Skin notation  At mg/m²  Skin notation  At mg/m²  Skin notation  At mg/m²  At mg/m²  Skin notation  At mg/m²  At mg/m²  At mg/m²  At mg/m²  At mg/m²  At mg/m²  At		400 ppm		
Kortidsverdi (OEL STEL)  1468 mg/m² (value from the regulation) 400 ppm (value from the regulation)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  730 mg/m² 200 ppm  KZGW (OEL STEL)  1460 mg/m² 400 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  8 mg/m²  Cacch Republic - Occupational Exposure Limits  DEL TWA  5 mg/m²  Cacch Republic - Occupational Exposure Limits  PEL (OEL TWA)  400 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m²  10 ppm  Germany - Occupational Exposure Limits (TROSS 900)  AGW (OEL TWA)  22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  CH TWA  5 mg/m²  Lithuania - Occupational Exposure Limits  PPV (OEL TWA)  5 mg/m²  CEL TWA  5 mg/m²  CEL themical category  Skin notation  Finland - Occupational Exposure Limits  CEL TWA  5 mg/m²  CEL themical category  Skin notation  5 mg/m²  CEL themical category  Skin notation  CEL TWA  400 mg/m²  Slovonia - Occupational Exposure Limits  Finland - Occupati	Norway - Occupational Exposure Limits	Norway - Occupational Exposure Limits		
Kortidsverdi (OEL STEL)  1468 mg/m³ (value from the regulation)  Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  730 mg/m³ 200 ppm  KZGW (OEL STEL)  1460 mg/m³ 400 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  400 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  400 ppm  USA - ACGIH - Occupational Exposure Limits  CEL TWA  5 mg/m³  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  40 mg/m³  Finiand - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m³  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  ACW (OEL TWA)  ACW (OEL TWA)  22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when ACW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BCW value	Grenseverdi (OEL TWA)	734 mg/m³		
A00 pmm (value from the regulation)    Switzerland - Occupational Exposure Limits		200 ppm		
Switzerland - Occupational Exposure Limits  MAK (OEL TWA)  730 mg/m²  200 ppm  KZGW (OEL STEL)  4400 mg/m²  400 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  400 ppm  benzyl alcohol (100-51-6)  Bulgaria - Occupational Exposure Limits  OEL TWA  5 mg/m²  Czech Republic - Occupational Exposure Limits  FEL (OEL TWA)  40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m²  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Latvia - Occupational Exposure Limits  DEL TWA  5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m²  Skin notation  Latvia - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m²  Skin notation  NDS (OEL TWA)  240 mg/m²  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m²  5 ppm  OEL STEL  44 mg/m²  5 ppm	Korttidsverdi (OEL STEL)	1468 mg/m³ (value from the regulation)		
NAK (OEL TWA)   730 mg/m²   200 ppm		400 ppm (value from the regulation)		
KZGW (OEL STEL)         1460 mg/m²           W3A - ACGIH - Occupational Exposure Limits         400 ppm           Work of the Exposure Limits           ACGIH OEL TWA         400 ppm           Bulgaria - Occupational Exposure Limits           CEL TWA         5 mg/m²           CEL TWA)         40 mg/m²           Finland - Occupational Exposure Limits           HTP (OEL TWA)         45 mg/m²           To ppm           Germany - Occupational Exposure Limits (TRGS 900)           AGW (OEL TWA)         22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)           Spm (	Switzerland - Occupational Exposure Limits			
KZGW (OEL STEL)  1460 mg/m² 400 ppm  USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA  400 ppm  benzyl alcohol (100-51-6)  Bulgaria - Occupational Exposure Limits  OEL TWA  5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  40 mg/m³  Filinand - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m³  10 ppm  Germany - Occupational Exposure Limits (TRGS 900-1)  AGW (OEL TWA)  22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 mg/m²  Lithuania - Occupational Exposure Limits  PEV (OEL TWA)  5 mg/m²  Siovenia - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m²  Siovenia - Occupational Exposure Limits  OEL TWA  420 mg/m²  5 ppm  OEL STEL  44 mg/m³	MAK (OEL TWA)	730 mg/m³		
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 400 ppm  benzyl alcohol (100-51-6)  Bulgaria - Occupational Exposure Limits  OEL TWA 5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 40 mg/m³  Finland - Occupational Exposure Limits  HTP (OEL TWA) 45 mg/m³  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m²  Lithuania - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Slovenia - Occupational Exposure Limits  OEL CTWA 240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²  Slovenia - Occupational Exposure Limits		200 ppm		
USA - ACGIH - Occupational Exposure Limits  ACGIH OEL TWA 400 ppm  benzyl alcohol (100-51-6)  Bulgaria - Occupational Exposure Limits  OEL TWA 5 mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 40 mg/m³  Finland - Occupational Exposure Limits  HTP (OEL TWA) 45 mg/m²  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m²  Sinym²  Skin notation  Poland - Occupational Exposure Limits  PRV (OEL TWA) 5 mg/m²  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m²  Siovenia - Occupational Exposure Limits  OEL TWA 220 mg/m²  Skin notation  Poland - Occupational Exposure Limits  DEL TWA 240 mg/m²  Siovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA 440 mg/m²	KZGW (OEL STEL)	1460 mg/m³		
ACGIH OEL TWA 400 ppm		400 ppm		
Bulgaria - Occupational Exposure Limits  OEL TWA  S mg/m²  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)  40 mg/m²  Finiand - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m²  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  CEL TWA  5 mg/m²  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m²  Lithuania - Occupational Exposure Limits  POEL TWA  5 mg/m²  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m²  5 ppm  OEL TWA  44 mg/m²	USA - ACGIH - Occupational Exposure Limits			
Bulgaria - Occupational Exposure Limits OEL TWA 5 mg/m³ Czech Republic - Occupational Exposure Limits PEL (OEL TWA) 40 mg/m³ Finland - Occupational Exposure Limits HTP (OEL TWA) 45 mg/m³ 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category Skin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  CEL TWA) 5 mg/m³  OEL Chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 5 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  5 ppm  OEL STEL 44 mg/m³	ACGIH OEL TWA	400 ppm		
CEL TWA 5 mg/m³  Czech Republic - Occupational Exposure Limits  PEL (OEL TWA) 40 mg/m²  Finland - Occupational Exposure Limits  HTP (OEL TWA) 45 mg/m²  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) 22 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category 5 kin notation  Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuaria - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category 5 kin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 220 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 4 mg/m²  5 ppm  OEL STEL 44 mg/m²	benzyl alcohol (100-51-6)			
Czech Republic - Occupational Exposure Limits  PEL (OEL TWA)	Bulgaria - Occupational Exposure Limits			
PEL (OEL TWA)  Finland - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m³  10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  CEL TWA  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  420 mg/m³  5 ppm  OEL STEL  44 mg/m³	OEL TWA	5 mg/m³		
Finand - Occupational Exposure Limits  HTP (OEL TWA)  45 mg/m³ 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  420 mg/m³  5 ppm  OEL STEL  44 mg/m³	Czech Republic - Occupational Exposure Limits			
HTP (OEL TWA)  45 mg/m³ 10 ppm  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³	PEL (OEL TWA)	40 mg/m³		
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Cluthuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³	Finland - Occupational Exposure Limits			
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA)  22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  CEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³	HTP (OEL TWA)	45 mg/m³		
AGW (OEL TWA)  22 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Cel TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³		10 ppm		
BGW values are observed)  5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)  Chemical category  Skin notation  Latvia - Occupational Exposure Limits  OEL TWA  5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA)  5 mg/m³  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³	Germany - Occupational Exposure Limits (TRGS 90	00)		
Values are observed)   Chemical category Skin notation   Latvia - Occupational Exposure Limits   OEL TWA 5 mg/m³   Lithuania - Occupational Exposure Limits   IPRV (OEL TWA) 5 mg/m³   OEL chemical category Skin notation   Poland - Occupational Exposure Limits   NDS (OEL TWA) 240 mg/m³   Slovenia - Occupational Exposure Limits   OEL TWA 22 mg/m³   5 ppm   OEL STEL 44 mg/m³	AGW (OEL TWA)			
Latvia - Occupational Exposure Limits  OEL TWA 5 mg/m³  Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³  OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³  5 ppm  OEL STEL 44 mg/m³				
OEL TWA         5 mg/m³           Lithuania - Occupational Exposure Limits           IPRV (OEL TWA)         5 mg/m³           OEL chemical category         Skin notation           Poland - Occupational Exposure Limits           NDS (OEL TWA)         240 mg/m³           Slovenia - Occupational Exposure Limits           OEL TWA         22 mg/m³           5 ppm           OEL STEL         44 mg/m³	Chemical category	Skin notation		
Lithuania - Occupational Exposure Limits  IPRV (OEL TWA) 5 mg/m³ OEL chemical category Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³ Slovenia - Occupational Exposure Limits  OEL TWA 22 mg/m³ 5 ppm  OEL STEL 44 mg/m³	Latvia - Occupational Exposure Limits			
IPRV (OEL TWA)  OEL chemical category  Skin notation  Poland - Occupational Exposure Limits  NDS (OEL TWA)  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³	OEL TWA	5 mg/m³		
OEL chemical category  Poland - Occupational Exposure Limits  NDS (OEL TWA)  240 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  22 mg/m³  5 ppm  OEL STEL  44 mg/m³	Lithuania - Occupational Exposure Limits			
Poland - Occupational Exposure Limits           NDS (OEL TWA)         240 mg/m³           Slovenia - Occupational Exposure Limits           OEL TWA         22 mg/m³           5 ppm           OEL STEL         44 mg/m³	IPRV (OEL TWA)	5 mg/m³		
NDS (OEL TWA)         240 mg/m³           Slovenia - Occupational Exposure Limits           OEL TWA         22 mg/m³           5 ppm           OEL STEL         44 mg/m³	OEL chemical category	Skin notation		
Slovenia - Occupational Exposure Limits           OEL TWA         22 mg/m³           5 ppm         44 mg/m³	Poland - Occupational Exposure Limits			
OEL TWA     22 mg/m³       5 ppm       OEL STEL     44 mg/m³	NDS (OEL TWA)	240 mg/m³		
5 ppm OEL STEL 44 mg/m³	Slovenia - Occupational Exposure Limits			
OEL STEL 44 mg/m³	OEL TWA	22 mg/m³		
		5 ppm		
10 ppm	OEL STEL	44 mg/m³		
		10 ppm		

## Safety Data Sheet

benzyl alcohol (100-51-6)		
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	22 mg/m³ (aerosol, vapour)	
	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
isobutyl acetate (110-19-0)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	241 mg/m³ (Butyl acetates)	
	50 ppm (Butyl acetates)	
MAK (OEL STEL)	480 mg/m³ (Butyl acetate)	
	100 ppm (Butyl acetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	238 mg/m³	
	50 ppm	
OEL STEL	712 mg/m³	
	150 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	241 mg/m³	
	50 ppm	
OEL STEL	723 mg/m³	
	150 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	241 mg/m³	
	50 ppm	
KGVI (OEL STEL)	723 mg/m³	
	150 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	241 mg/m³	
	50 ppm	
OEL STEL	723 mg/m³	
	150 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	241 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA	241 mg/m³ (Butyl acetate, all isomers)	
	50 ppm (Butyl acetate, all isomers)	
OEL STEL	723 mg/m³	
	150 ppm	

## Safety Data Sheet

isobutyl acetate (110-19-0)			
Estonia - Occupational Exposure Limits	Estonia - Occupational Exposure Limits		
OEL TWA	241 mg/m³		
	50 ppm		
OEL STEL	723 mg/m³		
	150 ppm		
Finland - Occupational Exposure Limits			
HTP (OEL TWA)	240 mg/m³ (Butyl acetate)		
	50 ppm (Butyl acetate)		
HTP (OEL STEL)	725 mg/m³ (Butyl acetate)		
	150 ppm (Butyl acetate)		
France - Occupational Exposure Limits			
VME (OEL TWA)	241 mg/m³ (restrictive limit)		
	50 ppm (restrictive limit)		
VLE (OEL C/STEL)	723 mg/m³ (restrictive limit)		
	150 ppm (restrictive limit)		
Germany - Occupational Exposure Limits (TRGS 9	00)		
AGW (OEL TWA)	300 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
	62 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)		
Greece - Occupational Exposure Limits			
OEL TWA	241 mg/m³		
	50 ppm		
OEL STEL	723 mg/m³		
	150 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	241 mg/m³		
CK (OEL STEL)	723 mg/m³		
OEL chemical category	Sensitizer		
Ireland - Occupational Exposure Limits			
OEL TWA	241 mg/m³		
	50 ppm		
OEL STEL	723 mg/m³ (calculated)		
	150 ppm (calculated)		
Italy - Occupational Exposure Limits			
OEL TWA	241 mg/m³		
	50 ppm		
OEL STEL	723 mg/m³		
	150 ppm		
	<u> </u>		

## Safety Data Sheet

Lativia - Occupational Exposure Limits           DELTWA         241 mg/m²           Lithurania - Occupational Exposure Limits         241 mg/m²           PRV (OEL TWA)         241 mg/m²           50 ppm         70 ppm           Luterania - Occupational Exposure Limits         70 ppm           Luxembourg - Occupational Exposure Limits         241 mg/m²           CEL TWA         241 mg/m²           OEL STEL         23 mg/m²           150 ppm         723 mg/m²           OEL STEL         241 mg/m²           OEL STEL         723 mg/m²           OS OPP         723 mg/m²           TGG-15min (OEL STEL)         720 mg/m²           Poland - Occupational Exposure Limits         720 mg/m²           NDS (OEL TWA)         240 mg/m²           NDS (OEL TWA)         720 mg/m²           Poland - Occupational Exposure Limits         721 mg/m²           Poland - Occupational Exposure Limits         722 mg/m²           Poland - Occupational Exposure Limits         723 mg/m²	isobutyl acetate (110-19-0)		
Elemania - Occupational Exposure Limits           IPRAY (CEL TWAY)         241 mg/m²           723 mg/m²         150 ppm           LUXEMPOURGE STEL)         723 mg/m²           150 ppm         150 ppm           CLE TWAA         241 mg/m²           0EL STEL         723 mg/m²           150 ppm         150 ppm           Matta - Occupational Exposure Limits         723 mg/m²           0EL TWAA         241 mg/m²           0EL TWAA         723 mg/m²           0EL STEL         723 mg/m²           150 ppm         150 ppm           0EL STEL         723 mg/m²           150 ppm         150 ppm           Netherlands - Occupational Exposure Limits         723 mg/m²           150 ppm         150 ppm           TGG-98u (OEL TWA)         241 mg/m²           150 ppm         150 ppm           Poland - Occupational Exposure Limits         723 mg/m²           NDS (OEL TWA)         240 mg/m²           NDS (OEL TWA)         240 mg/m²           NDS (OEL TWA)         241 mg/m² (indicative limit value)           OEL TWA         250 ppm (indicative limit value)           OEL TWA         250 ppm (indicative limit value) <td>Latvia - Occupational Exposure Limits</td> <td></td>	Latvia - Occupational Exposure Limits		
Lithuania - Occupational Exposure Limits         241 mg/m²           1PRV (OEL TWA)         241 mg/m²           50 ppm         50 ppm           TERV (OEL STEL)         250 ppm           DEL TWA         241 mg/m²           50 ppm           OEL TWA         241 mg/m²           50 ppm           OEL STEL         250 ppm           OEL TWA         241 mg/m²           50 ppm           OEL STEL         241 mg/m²           50 ppm           TGG-8u (OEL TWA)         241 mg/m²           50 ppm           TGG-15min (OEL STEL)         240 mg/m²           NDS (OEL TWA)         240 mg/m²           NDS (OEL STEL)         720 mg/m²           NDS (OEL TWA)         240 mg/m²           NDS (OEL TWA)         241 mg/m² (indicative limit value)           NDS (DEL TWA)         241 mg/m² (indicative limit value)           50 ppm (indicative limit value)         50 ppm (indi	OEL TWA	241 mg/m³	
IPRY (OEL TWA)         241 mg/m²           TPRY (OEL STEL)         723 mg/m²           TERY (OEL STEL)         723 mg/m²           Luxembourg - Occupational Exposure Limits         241 mg/m²           DEL TWA         241 mg/m²           60 pm         60 pm           Malta - Occupational Exposure Limits         241 mg/m²           DEL TWA         241 mg/m²           60 pm           OEL STEL         241 mg/m²           60 pm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m²           60 pm           150 pm           TOG-15min (OEL STEL)         241 mg/m²           60 pm           150 pm           Poland - Occupational Exposure Limits           TOS (OEL STEL)         240 mg/m²           150 pm           Poland - Occupational Exposure Limits           Poland - Occupational Exposure Limits           Poland - Occupational Exposure Limits         241 mg/m² (indicative limit value)           150 pm (indicative limit value)         250 pm (indicative limit value)           150 pm         250 pm           Poland -		50 ppm	
Feature (2000 of 1900	Lithuania - Occupational Exposure Limits		
TPRY (OEL STEL)         723 mg/m³           150 ppm           CLIXMA         241 mg/m³           50 ppm           OEL STEL         723 mg/m³           150 ppm           Malta - Occupational Exposure Limits         723 mg/m³           0EL TWA         241 mg/m³           0EL STEL         723 mg/m³           150 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m³           50 ppm           Poland - Occupational Exposure Limits           TSG-15min (OEL STEL)         720 mg/m³           150 ppm           Poland - Occupational Exposure Limits           NDS (OEL TWA)         240 mg/m³           NDS (OEL STEL)         720 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL TWA)         250 mg/m³ <t< td=""><td>IPRV (OEL TWA)</td><td>241 mg/m³</td></t<>	IPRV (OEL TWA)	241 mg/m³	
Luxembourg - Occupational Exposure Limits           DEL TWA         241 mg/m²           65 ppm         56 ppm           DEL STEL         23 mg/m²           150 ppm         150 ppm           Matta - Occupational Exposure Limits         241 mg/m²           50 ppm         50 ppm           DEL STEL         723 mg/m²           150 ppm         150 ppm           Netherlands - Occupational Exposure Limits         723 mg/m²           150 ppm         50 ppm           TGG-8u (OEL TWA)         241 mg/m²           150 ppm         50 ppm           Policy TWA         240 mg/m²           150 ppm         150 ppm           Policy TWA         240 mg/m²           NDSC (OEL STEL)         240 mg/m²           NDSC (OEL STEL)         250 mg/m²           NDSC (OEL STEL)         723 mg/m² (indicative limit value)           50 ppm (indicative limit value)         150 ppm (indicative limit value)           60 ppm (indicative limit value)         150 ppm (indicative limit value)           750 mg/m² (indicative limit value)         150 ppm (indicative limit value)           80 ppm (indicative limit value)         150 ppm (indicative limit value)           150 ppm (indicative li		50 ppm	
Luxembourg - Occupational Exposure Limits           OEL TWA         241 mg/m³           50 ppm         723 mg/m³           610 ppm         723 mg/m³           62 L STEL         723 mg/m³           65 0 ppm         724 mg/m³           65 0 ppm         725 mg/m³           65 0 ppm         726 mg/m³           76-8u (OEL TWA)         723 mg/m³           76-9u (OEL TWA)         723 mg/m³           76-9u (OEL TWA)         723 mg/m³           76-9u (OEL STEL)         723 mg/m³           70 ppm         720 mg/m³           NDSC (OEL STEL)         720 mg/m³           NDSC (OEL TWA)         720 mg/m³           NDSC (OEL STEL)         720 mg/m³           POTUGAL - Occupational Exposure Limits         723 mg/m³ (indicative limit value)           70 ppm (indicative limit value)         720 mg/m³ (indicative limit value)           70 ppm (indicative limit value)         720 mg/m³ (indicative limit value)           70 ppm (indicative limit value)         720 mg/m³ (indicative limit value)           70 ppm (indicative limit value)         720 mg/m³ (indicative limit valu	TPRV (OEL STEL)	723 mg/m³	
OEL TWA         241 mg/m²           OEL STEL         723 mg/m³           150 ppm           Malta - Occupational Exposure Limits           OEL TWA         241 mg/m³           50 ppm           OEL STEL         723 mg/m³           160 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m³           50 ppm           TGG-16min (OEL STEL)         723 mg/m³           150 ppm           Poland - Occupational Exposure Limits           NDS (OEL STEL)         720 mg/m³           NDS (OEL STEL)         720 mg/m³           NDS (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           OEL STEL         723 mg/m² (indicative limit value)           Romania - Occupational Exposure Limits         723 mg/m² (indicative limit value)           OEL TWA         241 mg/m³           OEL TWA         250 ppm           OEL TWA         725 mg/m²           OEL TWA         725 mg/m²           OEL TWA         725 mg/m²           OEL TWA         <		150 ppm	
Position         60 ppm           OEL STEL         723 mg/m²           Malta - Occupational Exposure Limits         241 mg/m²           DEL TWA         241 mg/m²           60 ppm         723 mg/m²           150 ppm         723 mg/m²           150 ppm         723 mg/m²           150 ppm         723 mg/m²           150 ppm         725 mg/m²           NDS (OEL STEL)         725 mg/m²           NDS (OEL TWA)         240 mg/m²           NDS (OEL STEL)         720 mg/m²           POTUgal - Occupational Exposure Limits         720 mg/m²           POTUgal - Occupational Exposure Limits         720 mg/m² (indicative limit value)           OEL STEL         723 mg/m² (indicative limit value)           50 ppm (indicative limit value)         720 mg/m² (indicative limit value)           60 ppm (indicative limit value)         720 mg/m²           723 mg/m² (indicative limit value)         720 mg/m²           80 ppm         723 mg/m²           90 ppm         723 mg/m²           90 ppm         723 mg/m²	Luxembourg - Occupational Exposure Limits		
QEL STEL         723 mg/m³           Matta - Occupational Exposure Limits         241 mg/m²           OEL TWA         241 mg/m²           50 ppm         723 mg/m³           150 ppm         725 mg/m³           150 ppm         725 mg/m³           Netherlands - Occupational Exposure Limits         725 mg/m³           TGG-8u (OEL TWA)         241 mg/m³           50 ppm         725 mg/m³           150 ppm         725 mg/m³           150 ppm         725 mg/m³           Poland - Occupational Exposure Limits         720 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL STEL)         720 mg/m³           POTUGAL - Occupational Exposure Limits         720 mg/m³           POTUGAL - Occupational Exposure Limits         720 mg/m³           OEL TWA         241 mg/m² (indicative limit value)           OEL TWA         723 mg/m² (indicative limit value)           OEL STEL         720 mg/m² (indicative limit value)           OEL TWA         720 mg/m² (	OEL TWA	241 mg/m³	
Maita - Occupational Exposure Limits           OEL TWA         241 mg/m³           50 ppm         50 ppm           OEL STEL         723 mg/m³           150 ppm         150 ppm           Netterlands - Occupational Exposure Limits         241 mg/m³           50 ppm         50 ppm           TGG-15min (OEL STEL)         723 mg/m³           150 ppm         150 ppm           Poland - Occupational Exposure Limits         723 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           OEL STEL         723 mg/m³ (indicative limit value)           Romania - Occupational Exposure Limits         241 mg/m³           OEL TWA         241 mg/m³           50 ppm         50 ppm           CEL S		50 ppm	
Malta - Occupational Exposure Limits           OEL TWA         241 mg/m³           50 ppm         723 mg/m³           150 ppm         150 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m³           50 ppm         723 mg/m³           150 ppm         720 mg/m³           Poland - Occupational Exposure Limits         720 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL TWA)         241 mg/m³ (indicative limit value)           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         223 mg/m³ (indicative limit value)           OEL TWA         723 mg/m³ (indicative limit value)           OEL TWA         150 ppm (indicative limit value)           OEL TWA         241 mg/m³           OEL TWA         241 mg/m³ <td< td=""><td>OEL STEL</td><td>723 mg/m³</td></td<>	OEL STEL	723 mg/m³	
QEL TWA         241 mg/m³           50 ppm         50 ppm           QEL STEL         723 mg/m³           150 ppm         723 mg/m³           150 ppm         725 mg/m³           50 ppm         50 ppm           Poland - Occupational Exposure Limits         723 mg/m³           NDS (OEL TWA)         240 mg/m³           NDS (OEL STEL)         720 mg/m³           NDS (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         720 mg/m³           PORTUgal - Occupational Exposure Limits         50 ppm (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           50 ppm (indicative limit value)         50 ppm (indicative limit value)           Romania - Occupational Exposure Limits         241 mg/m³           50 ppm (indicative limit value)         50 ppm           OEL STEL         23 mg/m³           50 ppm         50 ppm           OEL STEL         723 mg/m³           50 ppm         50 ppm           OEL STEL         720 mg/m³           50 ppm         50 ppm           OEL STEL         720 mg/m³           50 ppm         50 ppm           50 ppm         50 ppm		150 ppm	
50 ppm           723 mg/m³           150 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m³           50 ppm           TGG-15min (OEL STEL)         723 mg/m³           150 ppm           Poland - Occupational Exposure Limits           NDS (OEL TWA)         240 mg/m³           NDS (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits           Portugal - Occupational Exposure Limits           OEL TWA         241 mg/m³ (indicative limit value)           50 ppm (indicative limit value)         50 ppm (indicative limit value)           Romania - Occupational Exposure Limits           OEL TWA         241 mg/m³           OEL TWA           OEL TWA         241 mg/m³           OEL TWA         241 mg/m³           OEL TWA         250 ppm           OEL	Malta - Occupational Exposure Limits		
OEL STEL         723 mg/m³           150 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m³           50 ppm           TGG-15min (OEL STEL)         723 mg/m³           150 ppm           Poland - Occupational Exposure Limits           NDS (OEL TWA)         240 mg/m³           NDSCh (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           50 ppm (indicative limit value)         50 ppm (indicative limit value)           Romania - Occupational Exposure Limits         241 mg/m³           OEL TWA         241 mg/m³	OEL TWA	241 mg/m³	
Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         241 mg/m³           50 ppm         723 mg/m³           TGG-15min (OEL STEL)         723 mg/m³           Poland - Occupational Exposure Limits         NDS (OEL TWA)           NDS (OEL TWA)         240 mg/m³           NDSCh (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           OEL STEL         723 mg/m² (indicative limit value)           Romania - Occupational Exposure Limits         723 mg/m² (indicative limit value)           OEL TWA         241 mg/m³           OEL TWA         241 mg/m³           OEL TWA         723 mg/m³           OEL TWA         150 ppm           OEL TWA         723 mg/m³           OEL TWA         150 ppm           OEL STEL         723 mg/m³           150 ppm         150 ppm           1		50 ppm	
Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  241 mg/m³ 50 ppm  TGG-15min (OEL STEL)  723 mg/m³ 150 ppm  Poland - Occupational Exposure Limits  NDS (OEL TWA)  NDS (OEL STEL)  720 mg/m³ NDSCh (OEL STEL)  720 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA  241 mg/m³ (indicative limit value)  50 ppm (indicative limit value)  Portugal - Occupational Exposure Limits  OEL STEL  723 mg/m³ (indicative limit value)  Portugal - Occupational Exposure Limits  OEL STEL  723 mg/m³ (indicative limit value)  Portugal - Occupational Exposure Limits  OEL TWA  241 mg/m³ 50 ppm (indicative limit value)  OEL STEL  723 mg/m³ 150 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³ 241 mg/m³ 250 ppm	OEL STEL	723 mg/m³	
TGG-8u (OEL TWA)         241 mg/m³           50 ppm         50 ppm           TGG-15min (OEL STEL)         723 mg/m³           150 ppm         150 ppm           Poland - Occupational Exposure Limits         240 mg/m³           NDS (OEL TWA)         240 mg/m³           NDSCh (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           DEL STEL         723 mg/m³ (indicative limit value)           Romania - Occupational Exposure Limits         241 mg/m³           OEL TWA         241 mg/m³           OEL TWA         241 mg/m³           OEL TWA         723 mg/m³           OEL TWA         723 mg/m³           OEL STEL         723 mg/m³           OEL TWA         723 mg/m³           OEL TWA         723 mg/m³           OEL TWA         723 mg/m³           OEL TWA         723 mg/m³           OEL TW		150 ppm	
TGG-15min (OEL STEL)         50 ppm           Poland - Occupational Exposure Limits         240 mg/m³           NDS (OEL TWA)         240 mg/m³           NDSCh (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           50 ppm (indicative limit value)         50 ppm (indicative limit value)           Romania - Occupational Exposure Limits         241 mg/m³           OEL TWA         241 mg/m³           0EL TWA         241 mg/m³           50 ppm         50 ppm           OEL TWA         241 mg/m³           50 ppm         50 ppm           OEL STEL         723 mg/m³           50 ppm         50 ppm           OEL STEL         723 mg/m³           50 ppm         50 ppm	Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)         723 mg/m³ 150 ppm           Poland - Occupational Exposure Limits           NDS (OEL TWA)         240 mg/m³           NDSCh (OEL STEL)         720 mg/m³           Portugal - Occupational Exposure Limits         241 mg/m³ (indicative limit value)           OEL TWA         241 mg/m³ (indicative limit value)           OEL STEL         723 mg/m³ (indicative limit value)           Romania - Occupational Exposure Limits         241 mg/m³           OEL TWA         241 mg/m³           OEL STEL         723 mg/m³           OEL TWA         241 mg/m³           50 ppm         50 ppm           OEL STEL         723 mg/m³           OEL STEL         724 mg/m³	TGG-8u (OEL TWA)	241 mg/m³	
Poland - Occupational Exposure Limits  NDS (OEL TWA) 240 mg/m³  NDSCh (OEL STEL) 720 mg/m³  Portugal - Occupational Exposure Limits  OEL TWA 241 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 723 mg/m³ (indicative limit value) 720 ppm (indicative limit value) 720 ppm (indicative limit value) 721 mg/m³ (indicative limit value) 722 mg/m³ (indicative limit value) 723 mg/m³ (indicative limit value) 724 mg/m³ (indicative limit value) 725 ppm (indicative limit value) 726 ppm (indicative limit value) 727 mg/m³ 728 mg/m³ 729 mg/m³ 729 mg/m³ 720 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) 241 mg/m³ 724 mg/m³ 725 mg/m³ 726 ppm		50 ppm	
Poland - Occupational Exposure Limits  NDS (OEL TWA)  NDS (OEL STEL)  Portugal - Occupational Exposure Limits  OEL TWA	TGG-15min (OEL STEL)	723 mg/m³	
NDS (OEL TWA)  NDSCh (OEL STEL)  Portugal - Occupational Exposure Limits  OEL TWA  OEL STEL  OEL STEL  OEL STEL  OEL STEL  Tang/m³ (indicative limit value) 50 ppm (indicative limit value) 150 ppm (indicative limit value)  Romania - Occupational Exposure Limits  OEL TWA  OEL STEL  OEL TWA  OEL STEL  OEL TWA  OEL STEL  O		150 ppm	
NDSCh (OEL STEL)  Portugal - Occupational Exposure Limits  DEL TWA  241 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 723 mg/m³ (indicative limit value) 725 mg/m³ (indicative limit value) 726 mg/m³ (indicative limit value) 727 mg/m³ (indicative limit value) 728 mg/m³ (indicative limit value) 729 mg/m³ (indicative limit value) 720 mg/m³ (indicative limit value)	Poland - Occupational Exposure Limits		
Portugal - Occupational Exposure Limits  OEL TWA  241 mg/m³ (indicative limit value) 50 ppm (indicative limit value) 723 mg/m³ (indicative limit value) 150 ppm (indicative limit value)  Romania - Occupational Exposure Limits  OEL TWA  241 mg/m³ 50 ppm  OEL STEL  723 mg/m³ 50 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³	NDS (OEL TWA)	240 mg/m³	
OEL TWA  241 mg/m³ (indicative limit value) 50 ppm (indicative limit value)  OEL STEL  723 mg/m³ (indicative limit value) 150 ppm (indicative limit value)  Romania - Occupational Exposure Limits  OEL TWA  241 mg/m³ 50 ppm  OEL STEL  723 mg/m³ 150 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³ 241 mg/m³ 250 ppm  241 mg/m³ 250 ppm	NDSCh (OEL STEL)	720 mg/m³	
50 ppm (indicative limit value)  OEL STEL  723 mg/m³ (indicative limit value)  150 ppm (indicative limit value)  723 mg/m³ (indicative limit value)  Romania - Occupational Exposure Limits  OEL TWA  241 mg/m³  50 ppm  OEL STEL  723 mg/m³  50 ppm  OEL STEL  723 mg/m³  150 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³  241 mg/m³  241 mg/m³	Portugal - Occupational Exposure Limits		
OEL STEL  723 mg/m³ (indicative limit value)  150 ppm (indicative limit value)  Romania - Occupational Exposure Limits  OEL TWA  241 mg/m³ 50 ppm  OEL STEL  723 mg/m³ 150 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³ 241 mg/m³ 241 mg/m³ 241 mg/m³ 241 mg/m³	OEL TWA	241 mg/m³ (indicative limit value)	
To ppm (indicative limit value)    Romania - Occupational Exposure Limits		50 ppm (indicative limit value)	
Romania - Occupational Exposure Limits  OEL TWA  241 mg/m³ 50 ppm  OEL STEL  723 mg/m³ 150 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³ 241 mg/m³	OEL STEL	723 mg/m³ (indicative limit value)	
OEL TWA       241 mg/m³         50 ppm       50 ppm         OEL STEL       723 mg/m³         150 ppm       150 ppm         Slovakia - Occupational Exposure Limits         NPHV (OEL TWA)       241 mg/m³		150 ppm (indicative limit value)	
50 ppm     723 mg/m³     150 ppm     150 ppm   150 ppm     150 p	Romania - Occupational Exposure Limits		
OEL STEL       723 mg/m³         150 ppm         Slovakia - Occupational Exposure Limits         NPHV (OEL TWA)       241 mg/m³	OEL TWA	241 mg/m³	
150 ppm  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³		50 ppm	
Slovakia - Occupational Exposure Limits  NPHV (OEL TWA)  241 mg/m³	OEL STEL	723 mg/m³	
NPHV (OEL TWA)  241 mg/m³		150 ppm	
	Slovakia - Occupational Exposure Limits		
50 ppm	NPHV (OEL TWA)	241 mg/m³	
		50 ppm	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

isobutyl acetate (110-19-0)		
NPHV (OEL C)	723 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	241 mg/m³	
	50 ppm	
OEL STEL	723 mg/m³	
	150 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	241 mg/m³	
	50 ppm	
VLA-EC (OEL STEL)	723 mg/m³	
	150 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	241 mg/m³ (Butyl acetates)	
	50 ppm (Butyl acetates)	
KGV (OEL STEL)	723 mg/m³ (Butyl acetates)	
	150 ppm (Butyl acetates)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	724 mg/m³	
	150 ppm	
WEL STEL (OEL STEL)	903 mg/m³	
	187 ppm	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	241 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	723 mg/m³ (value from the regulation)	
	150 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	240 mg/m³	
	50 ppm	
KZGW (OEL STEL)	720 mg/m³	
	150 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Butyl acetates, all isomers)	
ACGIH OEL STEL	150 ppm (Butyl acetates, all isomers)	
	<u> </u>	

#### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : amber. light yellow. Conforms to standard.

Odour: characteristic.Odour threshold: Not availableMelting point: Not applicableFreezing point: Not availableBoiling point: Not available

Flammability : Not applicable, Combustible liquid

Lower explosion limit : Not available
Upper explosion limit : Not available
Flash point : 70 °C
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : Not available

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Viscosity, kinematic : Not available
Solubility : Not available
Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.071380572 mm Hg (calculated value)

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 40.75 % (calculated value)(CARB VOC) (%w/w)

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Combustible liquid. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

## 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled

Acute toxicity (innatation)	innalation.dust,mist. Harmidi ii innaled.	
MARZIPAN ALMOND #EU24129F		
ATE CLP (dust,mist)	3.745 mg/l/4h	
benzaldehyde (100-52-7)		
LD50 oral rat	1292 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 1250 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat	< 5 mg/l/4h	
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)		
LD50 oral rat	> 2000 mg/kg (Source: ECHA)	

## Safety Data Sheet

Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)		
LD50 dermal rabbit	> 10000 mg/kg (Source: ECHA_API)	
Aldehyde C-16 (77-83-8)		
LD50 oral rat	5470 mg/kg (Source: NLM_CIP)	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
Eugenol (97-53-0)		
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)	
LD50 oral	2500 mg/kg bodyweight	
LC50 Inhalation - Rat	> 2.58 mg/l/4h	
Ethyl vanillin (121-32-4)		
LD50 oral rat	1590 mg/kg (Source: NLM_CIP)	
LD50 oral	3000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
acetophenone (98-86-2)		
LD50 oral rat	2081 mg/kg (Source: ECHA_API)	
LD50 oral	500 mg/kg bodyweight	
LD50 dermal rat	3300 mg/kg (Source: ECHA_API)	
LC50 Inhalation - Rat	> 2.13 mg/l (Exposure time: 8 h Source: CHEMVIEW)	
Allyl caproate (123-68-2)		
LD50 oral	218 mg/kg	
LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	
LD50 dermal	300 mg/kg	
ethyl acetate (141-78-6)		
LD50 oral rat	5620 mg/kg (Source: NLM_CIP)	
LD50 dermal rabbit	> 18000 mg/kg (Source: JAPAN_GHS)	
LC50 Inhalation - Rat [ppm]	4000 ppm/4h	
benzyl alcohol (100-51-6)		
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)	
LD50 oral	1570 mg/kg	
isobutyl acetate (110-19-0)		
LD50 oral rat	15400 mg/kg (Source: JAPAN_GHS)	
LD50 dermal rabbit	> 17400 mg/kg (Source: NLM_CIP)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Eugenol (97-53-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : May cause respiratory irritation.

o ro roungio exposure	may saudo roophately initiation.	
benzaldehyde (100-52-7)		
STOT-single exposure	May cause respiratory irritation.	
ethyl acetate (141-78-6)		
STOT-single exposure	May cause drowsiness or dizziness.	
isobutyl acetate (110-19-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-reneated exposure	Not classified	

STOT-repeated exposure Aspiration hazard : Not classified

## 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Harmful to aquatic life with long lasting effects.

'		
benzaldehyde (100-52-7)		
LC50 - Fish [1]	10.6 – 11.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: EPA)	
LC50 - Fish [2]	12.69 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
Eugenol (97-53-0)		
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Ethyl vanillin (121-32-4)		
LC50 - Fish [1]	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
acetophenone (98-86-2)		
LC50 - Fish [1]	162 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	155 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
Allyl caproate (123-68-2)		
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	

19/25 4/3/2025 (Issue date) EN (English)

## Safety Data Sheet

ethyl acetate (141-78-6)		
LC50 - Fish [1]	220 – 250 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	484 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through] Source: IUCLID)	
EC50 - Crustacea [1]	560 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
benzyl alcohol (100-51-6)		
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)	
isobutyl acetate (110-19-0)		
LC50 - Fish [1]	17 mg/l (Exposure time: 96 h - Species: Oryzias latipes Source: ECHA)	
12.2. Persistence and degradability		
MARZIPAN ALMOND #EU24129F		
Persistence and degradability	Not established.	
benzaldehyde (100-52-7)		
Persistence and degradability	Rapidly degradable	
Resin acids and Rosin acids, hydrogenated, methyl esters (8050-15-5)		
Persistence and degradability	Rapidly degradable	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
Eugenol (97-53-0)		
Persistence and degradability	Rapidly degradable	
Ethyl vanillin (121-32-4)		
Persistence and degradability	Rapidly degradable	
acetophenone (98-86-2)		
Persistence and degradability	Rapidly degradable	
Allyl caproate (123-68-2)		
Persistence and degradability	Rapidly degradable	
ethyl acetate (141-78-6)		
Persistence and degradability	Rapidly degradable	
benzyl alcohol (100-51-6)		
Persistence and degradability	Rapidly degradable	
isobutyl acetate (110-19-0)		
Persistence and degradability	Rapidly degradable	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 12.3. Bioaccumulative potential

MARZIPAN ALMOND #EU24129F			
Sioaccumulative potential Not established.			
benzaldehyde (100-52-7)			
BCF - Fish [1]	(no significant bioaccumulation)		
Partition coefficient n-octanol/water (Log Pow)	1.4 (at 25 °C)		
Resin acids and Rosin acids, hydrogenated, n	nethyl esters (8050-15-5)		
Partition coefficient n-octanol/water (Log Pow)	6.4 – 7.6 (at pH 6)		
Aldehyde C-16 (77-83-8)			
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)		
Eugenol (97-53-0)			
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)		
Ethyl vanillin (121-32-4)			
Partition coefficient n-octanol/water (Log Pow)	1.61 (at 25 °C)		
acetophenone (98-86-2)			
Partition coefficient n-octanol/water (Log Pow)	1.63 – 1.65		
Allyl caproate (123-68-2)			
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)		
ethyl acetate (141-78-6)			
BCF - Fish [1]	(30 dimensionless)		
Partition coefficient n-octanol/water (Log Pow)	0.73 (at 20 °C (at pH 7)		
benzyl alcohol (100-51-6)			
Partition coefficient n-octanol/water (Log Pow)	1.05		
isobutyl acetate (110-19-0)			
BCF - Fish [1]	(no significant bioconcentration)		
Partition coefficient n-octanol/water (Log Pow)	2.3 (at 25 °C (at pH 7)		

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information : Avoid release to the environment.

4/3/2025 (Issue date) EN (English) 21/25

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

**Ecological information** 

**HP** Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.
- : Avoid release to the environment.
- : HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
  - HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
  - HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
I4.1. UN number or ID r	number			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	ig name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental ha	zards			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### **Inland waterway transport**

Not applicable

#### Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	ethyl acetate ; isobutyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	MARZIPAN ALMOND #EU24129F; benzaldehyde; Aldehyde C-16; Eugenol; acetophenone; Allyl caproate; ethyl acetate; benzyl alcohol; isobutyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	MARZIPAN ALMOND #EU24129F; Resin acids and Rosin acids, hydrogenated, methyl esters; Aldehyde C-16; Allyl caproate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	ethyl acetate ; isobutyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### VOC Directive (2004/42)

VOC content : 40.75 % (calculated value)(CARB VOC) (%w/w)

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### France

Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

#### Germany

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK)

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters is listed

SZW-lijst van mutagene stoffen : Resin acids and Rosin acids, hydrogenated, methyl esters is listed

SZW-lijst van reprotoxische stoffen - Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

**Denmark** 

Class for fire hazard : Class III-1 Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 1	Flammable liquids, Category 1
Flam. Liq. 2	Flammable liquids, Category 2

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H224	Extremely flammable liquid and vapour.
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.