

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/10/2024 Revision date: 3/7/2025 Supersedes version of: 1/10/2024 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : PASSIONFRUIT COOLER #EU32212F

UFI : XJ6V-U29T-S00P-PFV3

Product code : EU32212F

Type of product : Perfumes, fragrances
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

Industrial/Professional use spec : Industrial

For professional use only
: Perfumes, fragrances

Use of the substance/mixture : Perfumes, frag Function or use category : Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE International GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Safety Data Sheet

Hazard statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Hexyl cinnamic aldehyde; Linalool; Linalyl acetate; (R)-p-mentha-1,8-diene; d-limonene;

Aldehyde C-16; Triplal (Vertocitral); Hydroxy; Citronellol Pure; Isocyclocitral; delta-

Damascone; Geranyl acetate : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

Extra phrases : For professional users only.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	3.4 – 6.8	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	2.7 – 5.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
2(3H)-Furanone, 5-heptyldihydro-	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	1.7 – 3.3	Aquatic Chronic 3, H412
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	1.3 – 2.625	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	1.3 – 2.6	Aquatic Chronic 3, H412

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalyl acetate	CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19	1.2 – 2.4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Dimethylbenzyl carbinyl butyrate(DMBCB)	CAS-No.: 10094-34-5 EC-No.: 233-221-8 REACH-no: 01-2120742578- 44	1 – 2	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- 35	0.9 – 1.7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Dimethylbenzyl carbinyl acetate(DMBCA)	CAS-No.: 151-05-3 EC-No.: 205-781-3	0.8 – 1.65	Aquatic Chronic 3, H412
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.4 – 0.8	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1 EC Index-No.: 605-043-00-4	0.1 – 0.203	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
ACETYL HEXAMETHYL TETRALIN	CAS-No.: 21145-77-7 EC-No.: 244-240-6	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.1 – 0.2	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Undecavertol	CAS-No.: 81782-77-6 EC-No.: 279-815-0	0.1 – 0.15	Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.1 – 0.15	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Oenanthic ether (Ethyl heptanoate)	CAS-No.: 106-30-9 EC-No.: 203-382-9	0.1 – 0.15	Flam. Liq. 3, H226 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Isocyclocitral	CAS-No.: 1335-66-6 EC-No.: 215-638-7	0.1 – 0.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.1 – 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Geranyl acetate	CAS-No.: 105-87-3 EC-No.: 203-341-5 REACH-no: 01-2119973480- 35	0.1 – 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
isopentyl acetate substance with national workplace exposure limit(s) (AT, BE, BG, CY, DE, DK, EE, ES, FI, FR, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0 – 0.035	Flam. Liq. 3, H226
Alcohol C-10 substance with national workplace exposure limit(s) (BG, DE, LT, LV, RO, CH)	CAS-No.: 112-30-1 EC-No.: 203-956-9	0 – 0.0001	Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest. First-aid measures after skin contact Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/.... Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. First-aid measures after eye contact Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison First-aid measures after ingestion center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Sand. Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

3/7/2025 (Revision date) EN (English) 4/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container closed when not in use. Store in a well-ventilated place. Keep cool.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

3/7/2025 (Revision date) EN (English) 5/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germany

Storage class (LGK, TRGS 510)

Joint storage table

: LGK 12 - Non-combustible liquids

	·			
LGK 1	LGK 2A	LGK 2B	LGK 3	LGK 4.1A
LGK 4.1B	LGK 4.2	LGK 4.3	LGK 5.1A	LGK 5.1B
LGK 5.1C	LGK 5.2	LGK 6.1A	LGK 6.1B	LGK 6.1C
LGK 6.1D	LGK 6.2	LGK 7	LGK 8A	LGK 8B
LGK 10	LGK 11	LGK 12	LGK 13	LGK 10-13

Joint storage not permitted for

Joint storage with restrictions permitted for

Joint storage permitted for

: LGK 1, LGK 6.2, LGK 7

: LGK 4.1A, LGK 4.3, LGK 5.1C

: LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A, LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA	62 mg/m³	
	10 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	61 mg/m³	
	10 ppm	
OEL STEL	122 mg/m³	
	20 ppm	
Ireland - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL STEL	30 ppm (calculated)	
Latvia - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	5 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	10 ppm	
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen	
Romania - Occupational Exposure Limits		
OEL TWA	50 mg/m³	
	8 ppm	

3/7/2025 (Revision date) EN (English) 6/25

Safety Data Sheet

Benzyl acetate (140-11-4)		
OEL STEL	80 mg/m³	
	13 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	62 mg/m³	
	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-	5)	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	140 mg/m³	
	25 ppm	
HTP (OEL STEL)	280 mg/m³	
	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
	5 ppm	
OEL STEL	112 mg/m³	
	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	168 mg/m³	
	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	140 mg/m³	
	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
	37.5 ppm (value calculated)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	40 mg/m³	
	7 ppm	

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
KZGW (OEL STEL)	80 mg/m³	
	14 ppm	
OEL chemical category	Sensitizer	
isopentyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IG	DEL)	
IOEL TWA	270 mg/m³	
	50 ppm	
IOEL STEL	540 mg/m³	
	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA)	270 mg/m³	
	50 ppm	
KGVI (OEL STEL)	540 mg/m³	
	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA	271 mg/m³ (Amyl acetate, all isomers)	
	50 ppm (Amyl acetate, all isomers)	
OEL STEL	540 mg/m³	
	100 ppm	

Safety Data Sheet

isopentyl acetate (123-92-2)		
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA)	270 mg/m³ (Pentyl acetate)	
	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 9	00)	
AGW (OEL TWA)	270 mg/m³	
	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
	100 ppm	
OEL STEL	800 mg/m³	
	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA	260 mg/m³	
	50 ppm	
OEL STEL	520 mg/m³	
	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	

Safety Data Sheet

isopentyl acetate (123-92-2)		
OEL STEL	540 mg/m³	
	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Netherlands - Occupational Exposure Limits		
TGG-15min (OEL STEL)	530 mg/m³	
	98.1 ppm	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m³	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value (Pentyl acetate, all isomers)	
OEL STEL	540 mg/m³ (indicative limit value)	
	100 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA)	270 mg/m³	
	50 ppm	

Safety Data Sheet

isopentyl acetate (123-92-2)		
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
	50 ppm	
OEL STEL	540 mg/m³	
	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA)	270 mg/m³ (indicative limit value)	
	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
	50 ppm (Pentyl acetates)	
KGV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA)	260 mg/m³	
	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
	75 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
KZGW (OEL STEL)	260 mg/m³ (Pentyl acetate all isomers)	
	50 ppm (Pentyl acetate all isomers)	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL	100 ppm (Pentyl acetate, all isomers)	
Alcohol C-10 (112-30-1)		
Bulgaria - Occupational Exposure Limits		
OEL TWA	10 mg/m³	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA)	66 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Latvia - Occupational Exposure Limits		
OEL TWA	10 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Alcohol C-10 (112-30-1)		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	10 mg/m³	
Romania - Occupational Exposure Limits		
OEL TWA	100 mg/m³	
	15 ppm	
OEL STEL	200 mg/m³	
	30 ppm	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	
KZGW (OEL STEL)	66 mg/m³ (aerosol, vapour)	
	10 ppm (aerosol, vapour)	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. : Not available Odour threshold : Not applicable Melting point : Not available Freezing point : Not available Boiling point Flammability : Not applicable : Not available Lower explosion limit Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available

Vapour pressure : 0.001522689 mm Hg (calculated value)

: Not available

Vapour pressure at 50°C : Not available
Density : Not available
Relative density : Not available
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : 7.7965 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

Partition coefficient n-octanol/water (Log Kow)

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

3/7/2025 (Revision date) EN (English) 13/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

: Not classified Acute toxicity (oral) Acute toxicity (dermal) Not classified

,	Not classified Not classified
,	Not classified
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
Linalool (78-70-6)	
LD50 oral	2790 mg/kg
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
LD50 oral rat	18500 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)
1.3.4.6.7.8-hexahydro-4.6.6.7.8.8-hexamethylindeno[5.6-c]pyran; galaxolide; (HHCB) (1222-05-5)	

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA)
LB00 oral fat	10000 mg/ng (Godioc. NEM_On)

LD50 oral rat	> 3250 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat	> 5.04 mg/l/4h

Benzyl acetate (140-11-4)	
LC50 Inhalation - Rat	> 5.04 mg/l/4h
LD50 dermal rabbit	> 3250 mg/kg (Source: CHEMVIEW)

	LD50 oral rat	2490 mg/kg (Source: JAPAN_GHS)
	LD50 oral	2490 mg/kg bodyweight
	LD50 dermal rabbit	> 5000 mg/kg (Source: JAPAN_GHS)

Linalyl acetate (115-95-7)	
LD50 oral rat	14550 mg/kg (Source: EPA_HPV)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)

Dimethylbenzyl carbinyl butyrate(DMBCB) (10	yl carbinyl butyrate(DMBCB) (10094-34-5)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)	

R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)	
LD50 oral rat 3300 mg/kg (Source: NLM_CIP)	

14/25 3/7/2025 (Revision date) EN (English)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

LD50 aral	Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)		
Aldehyde C-16 (77-83-8) LD50 oral rat			
LD50 oral rat		3300 Highly bodyweight	
Dispose			
Triplal (Vertocitral) (68039-49-6) LD50 oral			
LD50 oral	LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)	
ACETYL HEXAMETHYL TETRALIN (21145-77-7) LD50 oral rat	Triplal (Vertocitral) (68039-49-6)		
LD50 oral rat	LD50 oral	2330 mg/kg	
LD50 oral	ACETYL HEXAMETHYL TETRALIN (21145-77-	7)	
LD50 dermal rabbit	LD50 oral rat	570 mg/kg (Source: NLM_CIP)	
Hydroxy (107-75-5)	LD50 oral	1000 mg/kg bodyweight	
DESO oral rat	LD50 dermal rabbit	> 5 g/kg (Source: NLM_HSDB)	
DESCRIPTION SOUTH NETWORK COUNTY COUNTY	Hydroxy (107-75-5)		
LD50 oral rat	LD50 oral rat	> 6400 mg/kg (Source: ECHA)	
LD50 oral rat	LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)	
LD50 oral 3450 mg/kg bodyweight	Citronellol Pure (106-22-9)		
LD50 dermal rabbit 2650 mg/kg (Source: EPA_HPV)	LD50 oral rat	3450 mg/kg (Source: NLM_CIP)	
Denanthic ether (Ethyl heptanoate) (106-30-9) LD50 oral rat	LD50 oral	3450 mg/kg bodyweight	
Denanthic ether (Ethyl heptanoate) (106-30-9) LD50 oral rat	LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)	
D50 oral rat	LD50 dermal	2650 mg/kg bodyweight	
Isocyclocitral (1335-66-6) LD50 oral rat	Oenanthic ether (Ethyl heptanoate) (106-30-9)		
LD50 oral rat	LD50 oral rat	> 34640 mg/kg (Source: NLM_CIP)	
LD50 oral 3220 mg/kg bodyweight delta-Damascone (57378-68-4) 1400 mg/kg bodyweight Allyl caproate (123-68-2) 218 mg/kg LD50 oral 218 mg/kg LD50 dermal rabbit 820 mg/kg (Source: ECHA_API) LD50 dermal 300 mg/kg Geranyl acetate (105-87-3) LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	Isocyclocitral (1335-66-6)		
delta-Damascone (57378-68-4) LD50 oral 1400 mg/kg bodyweight Allyl caproate (123-68-2) 218 mg/kg LD50 oral 218 mg/kg (Source: ECHA_API) LD50 dermal rabbit 820 mg/kg (Source: ECHA_API) LD50 dermal 300 mg/kg Geranyl acetate (105-87-3) 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) 4720 mg/kg (Source: NZ_CCID) LD50 oral rat 4720 mg/kg (Source: ECHA_API) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 oral rat	4500 mg/kg (Source: NLM_CIP)	
LD50 oral 1400 mg/kg bodyweight	LD50 oral	3220 mg/kg bodyweight	
Allyl caproate (123-68-2) 218 mg/kg LD50 oral 218 mg/kg LD50 dermal rabbit 820 mg/kg (Source: ECHA_API) LD50 dermal 300 mg/kg Geranyl acetate (105-87-3) LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	delta-Damascone (57378-68-4)		
LD50 oral 218 mg/kg LD50 dermal rabbit 820 mg/kg (Source: ECHA_API) LD50 dermal 300 mg/kg Geranyl acetate (105-87-3) LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 oral	1400 mg/kg bodyweight	
LD50 dermal rabbit B20 mg/kg (Source: ECHA_API) LD50 dermal 300 mg/kg Geranyl acetate (105-87-3) LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	Allyl caproate (123-68-2)		
Geranyl acetate (105-87-3) LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 oral	218 mg/kg	
Geranyl acetate (105-87-3) LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 dermal rabbit	820 mg/kg (Source: ECHA_API)	
LD50 oral rat 6330 mg/kg (Source: NLM_CIP) Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 dermal	300 mg/kg	
Alcohol C-10 (112-30-1) LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	Geranyl acetate (105-87-3)		
LD50 oral rat 4720 mg/kg (Source: NZ_CCID) LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 oral rat	6330 mg/kg (Source: NLM_CIP)	
LD50 dermal rat > 5000 mg/kg (Source: ECHA_API) LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	Alcohol C-10 (112-30-1)		
LC50 Inhalation - Rat > 71 mg/l (Exposure time: 1 h Source: ECHA_API) Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 oral rat	4720 mg/kg (Source: NZ_CCID)	
Skin corrosion/irritation : Causes skin irritation. Serious eye damage/irritation : Not classified	LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)	
Serious eye damage/irritation : Not classified	LC50 Inhalation - Rat	> 71 mg/l (Exposure time: 1 h Source: ECHA_API)	
	Respiratory or skin sensitisation :	May cause an allergic skin reaction.	

3/7/2025 (Revision date) EN (English) 15/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Benzyl acetate (140-11-4)

IARC group 3 - Not classifiable

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

IARC group 3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)

Hydrocarbon Yes

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Not classified

(acute)

Hazardous to the aquatic environment, long–term : Toxic to aquatic life with long lasting effects.

(chronic)

anone)	
Linalool (78-70-6)	
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
LC50 - Fish [1]	569 mg/l 96 h
EC50 - Crustacea [1]	5.85 mg/l 48 h
EC50 - Other aquatic organisms [1]	5.94 mg/l 72 h
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA)
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

Safety Data Sheet

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)	
Aldehyde C-16 (77-83-8)		
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)	
Allyl caproate (123-68-2)		
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)	
Alcohol C-10 (112-30-1)		
LC50 - Fish [1]	2.2 – 2.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)	
LC50 - Fish [2]	4.12 – 6.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)	
EC50 - Crustacea [1]	3 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
12.2. Persistence and degradability		
PASSIONFRUIT COOLER #EU32212F		
Persistence and degradability	Not established.	
Hexyl cinnamic aldehyde (101-86-0)		
Persistence and degradability	Rapidly degradable	
Linalool (78-70-6)		
Persistence and degradability	Rapidly degradable	
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
Persistence and degradability	Rapidly degradable	
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethy	ylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)	
Persistence and degradability	Rapidly degradable	
Benzyl acetate (140-11-4)		
Persistence and degradability	Rapidly degradable	
Linalyl acetate (115-95-7)		
Persistence and degradability	Rapidly degradable	
Dimethylbenzyl carbinyl butyrate(DMBCB)	(10094-34-5)	
Persistence and degradability	Rapidly degradable	
(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)		
Persistence and degradability	Rapidly degradable	
Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)	
Persistence and degradability	Rapidly degradable	
Aldehyde C-16 (77-83-8)		
Persistence and degradability	Rapidly degradable	
Triplal (Vertocitral) (68039-49-6)		
Persistence and degradability	Rapidly degradable	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ACETYL HEXAMETHYL TETRALIN (21145-77-7)

AGETTE TEXAMETTE TETTOALIN (21140 17	- ,
Persistence and degradability	Rapidly degradable
Hydroxy (107-75-5)	
Persistence and degradability	Rapidly degradable
Undecavertol (81782-77-6)	
Persistence and degradability	Rapidly degradable
Citronellol Pure (106-22-9)	
Persistence and degradability	Rapidly degradable
Oenanthic ether (Ethyl heptanoate) (106-30-9)	
Persistence and degradability	Rapidly degradable
Isocyclocitral (1335-66-6)	
Persistence and degradability	Rapidly degradable
delta-Damascone (57378-68-4)	
Persistence and degradability	Rapidly degradable
Allyl caproate (123-68-2)	
Persistence and degradability	Rapidly degradable
Geranyl acetate (105-87-3)	
Persistence and degradability	Rapidly degradable
isopentyl acetate (123-92-2)	
Persistence and degradability	Rapidly degradable
Alcohol C-10 (112-30-1)	
Persistence and degradability	Rapidly degradable
12.3. Bioaccumulative potential	
PASSIONFRUIT COOLER #EU32212F	
Bioaccumulative potential	Not established.
2(3H)-Furanone, 5-heptyldihydro- (104-67-6)	
Partition coefficient n-octanol/water (Log Pow)	3.6 (at 25 °C)
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylin	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Dimethylbenzyl carbinyl butyrate(DMBCB) (10	094-34-5)
Partition coefficient n-octanol/water (Log Pow)	4.7 (at 25 °C)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

(R)-p-mentha-1,8-diene; d-limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Dimethylbenzyl carbinyl acetate(DMBCA) (151-05-3)	
Partition coefficient n-octanol/water (Log Pow)	3.64 (at 25 °C (at pH >6-<7)
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
ACETYL HEXAMETHYL TETRALIN (21145-77-	7)
Partition coefficient n-octanol/water (Log Pow)	5.7 (at 24 °C)
Hydroxy (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
Undecavertol (81782-77-6)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 30 °C (at pH 7)
Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Oenanthic ether (Ethyl heptanoate) (106-30-9)	
Partition coefficient n-octanol/water (Log Pow)	3.98 (at 35 °C (at pH 7)
Allyl caproate (123-68-2)	
Partition coefficient n-octanol/water (Log Pow)	3.191 (at 20 °C (at pH 5)
Geranyl acetate (105-87-3)	
Partition coefficient n-octanol/water (Log Pow)	4.04
isopentyl acetate (123-92-2)	
Partition coefficient n-octanol/water (Log Pow)	2.7 (at 35 °C)
Alcohol C-10 (112-30-1)	
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 25 °C (at pH 6)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions.

dations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations.

3/7/2025 (Revision date) EN (English) 19/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ecological information

HP Code

: Avoid release to the environment.

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one

or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shippin	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III
14.3. Transport hazard	class(es)			
9	9	9	9	9
***************************************	**************************************	**************************************	**************************************	**************************************
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available	1	1	1

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4

3/7/2025 (Revision date) EN (English) 20/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

: LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T4 TP1, TP29 Tank special provisions (IMDG) EmS-No. (Fire) : F-A : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV Transport category (RID) : 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	(R)-p-mentha-1,8-diene; d-limonene; Oenanthic ether (Ethyl heptanoate); isopentyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	PASSIONFRUIT COOLER #EU32212F; Hexyl cinnamic aldehyde; Linalool; Linalyl acetate; Dimethylbenzyl carbinyl butyrate(DMBCB); (R)-p- mentha-1,8-diene; d- limonene; Aldehyde C-16; Triplal (Vertocitral); Hydroxy; Citronellol Pure; Isocyclocitral; delta- Damascone; Allyl caproate; Geranyl acetate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	PASSIONFRUIT COOLER #EU32212F; Hexyl cinnamic aldehyde; 2(3H)-Furanone, 5- heptyldihydro-; 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8- hexamethylindeno[5,6- c]pyran; galaxolide; (HHCB); Benzyl acetate; Dimethylbenzyl carbinyl butyrate(DMBCB); (R)-p- mentha-1,8-diene; d- limonene; Dimethylbenzyl carbinyl acetate(DMBCA); Aldehyde C-16; Triplal (Vertocitral); Undecavertol; Oenanthic ether (Ethyl heptanoate); Isocyclocitral; delta- Damascone; Allyl caproate; Geranyl acetate; Alcohol C-10	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
40.	(R)-p-mentha-1,8-diene; d-limonene; Oenanthic ether (Ethyl heptanoate); isopentyl acetate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 7.7965 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

France

Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BImSchV) : Is not subject to the Major Accidents Ordinance (12. BImSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Triplal (Vertocitral) is listed SZW-lijst van mutagene stoffen : Triplal (Vertocitral) is listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen – : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

3/7/2025 (Revision date) EN (English) 23/25

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Denmark

Classification remarks
Danish National Regulations

- : Emergency management guidelines for the storage of flammable liquids must be followed
- : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.