

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2/9/2021 Revision date: 6/5/2025 Supersedes version of: 2/9/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : BLACK OPIUM TYPE #EU38247F

UFI : 8PWD-C3TK-7009-SPMF

Product code : EU38247F

Type of product : Perfumes, fragrances Product group Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category Odour agents

1.3. Details of the supplier of the safety data sheet

FRENCH COLOR & FRAGRANCE INTERNATIONAL GmbH GmbH

Mittlerer Weg 35 DE 79424 Auggen

Germany

T 49-7631-931-8900

SDS@frenchcolor.com, www.frenchcolor.com

1.4. Emergency telephone number

Emergency number 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1 H317 Hazardous to the aquatic environment - Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Contains Lemon oil; Patchouli oil; Linalyl acetate; Linalool; Cedramber; Lavandin abrialis oil; .alpha.-

Pinene; Estragole (Methyl chavicol); Hexyl salicylate; Rosemary Oil; Vetiver oil; Tangerine

oil; Trimofix O; Sage oil, spanish; Anise oil (Spanish); Cedarwood, Atlas

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

6/5/2025 (Revision date) EN (English) 1/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP)

: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P321 - Specific treatment (see supplemental first aid instruction on this label).

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-------------|--|
| Patchouli oil | CAS-No.: 8014-09-3 EC-No.: 616-944-7 EC Index-No.: 616-944-7 | 1.3 – 2.65 | Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Citrus medica limonum (Lemon) peel oil | CAS-No.: 8008-56-8 EC-No.: 284-515-8 | 1.3 – 2.5 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Linalool | CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016- | 1.1 – 2.256 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 |
| Linalyl acetate | CAS-No.: 115-95-7 EC-No.: 204-116-4 REACH-no: 01-2119454789- 19 | 1.1 – 2.2 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) | CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29 | 1.1 – 2.1 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Sandela | CAS-No.: 66068-84-6 EC-No.: 266-100-3 | 0.9 – 1.8 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |
| Lavandin abrialis oil | CAS-No.: 8022-15-9 EC-No.: 617-009-6 | 0.6 – 1.2 | Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 |

Safety Data Sheet

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|-----------------------|---|
| Cedramber | CAS-No.: 19870-74-7 EC-No.: 243-384-7 | 0.5 – 1 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317 |
| Carbitol substance with national workplace exposure limit(s) (AT, DE, EE, SE, SI, CH) | CAS-No.: 111-90-0 EC-No.: 203-919-7 REACH-no: 01-2119475105- 42 | 0.28932 – 0.542475 | Not classified |
| Anise oil (Spanish) | CAS-No.: 8007-70-3 EC-No.: 616-914-3 | 0.2 – 0.45 | Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 3, H412 |
| Cedarwood, Atlas | CAS-No.: 8023-85-6 EC-No.: 617-018-5 | 0.2 – 0.45 | Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Vetiver oil | CAS-No.: 8016-96-4 EC-No.: 616-993-4 REACH-no: 01-2120119716- 55 | 0.2 – 0.3 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Rosemary Oil | CAS-No.: 8000-25-7 EC-No.: 283-291-9 | 0.1 – 0.25 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Trimofix O | CAS-No.: 144020-22-4 EC-No.: 482-330-9 | 0.1 – 0.25 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Skin Sens. 1B, H317 |
| Hexyl salicylate | CAS-No.: 6259-76-3 EC-No.: 228-408-6 EC Index-No.: 607-772-00-3 | 0.1 – 0.248 | Skin Sens. 1B, H317 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| .betaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO) | CAS-No.: 127-91-3 EC-No.: 204-872-5 | 0.03 – 0.1725 | Flam. Liq. 3, H226 |
| .alphaPinene substance with national workplace exposure limit(s) (BE, EE, ES, LT, PT, SE, NO) | CAS-No.: 80-56-8 EC-No.: 201-291-9 | 0.03 – 0.1515 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| Estragole (Methyl chavicol) | CAS-No.: 140-67-0 EC-No.: 205-427-8 REACH-no: 01-2120783278- 41 | 0.1 – 0.15 | Acute Tox. 4 (Oral), H302 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 |
| Tangerine oil | CAS-No.: 8016-85-1 EC-No.: 297-672-2 | 0.1 – 0.15 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|--------------|--|
| Sage oil, spanish | CAS-No.: 90106-49-3 EC-No.: 290-272-9 | 0.1 – 0.15 | Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT SE 2, H371 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| (R)-p-mentha-1,8-diene; d-limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH) | CAS-No.: 5989-27-5 EC-No.: 205-341-0 EC Index-No.: 601-096-00-2 REACH-no: 01-2119493353- | 0.015 - 0.06 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |
| p-Cymene substance with national workplace exposure limit(s) (DK, EE, LT, LV, SE) | CAS-No.: 99-87-6 EC-No.: 202-796-7 EC Index-No.: 601-094-00-1 | 0.003 - 0.03 | Flam. Liq. 3, H226 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Inhalation:dust,mist), H331 Repr. 2, H361 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| Dipropylene glycol monomethyl ether substance with national workplace exposure limit(s) (AT, BE, BG, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GI, GR, HR, HU, IE, IT, LT, LU, LV, MT, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 34590-94-8 EC-No.: 252-104-2 | ≤ 0.0186 | Not classified |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest. First-aid measures after skin contact

: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

: Not expected to present a significant hazard under anticipated conditions of normal use. Symptoms/effects

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper

protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray. Evacuate unnecessary personnel.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

6/5/2025 (Revision date) EN (English) 5/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep only in the original container in a cool, well

ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids. Incompatible materials

: Sources of ignition. Direct sunlight.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

: Store in a closed container. Special rules on packaging : Do not store in corrodable metal. Packaging materials

Switzerland

Storage class (LK) : LK 10/12 - Liquids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

| Carbitol (111-90-0) | | |
|---|---|--|
| Austria - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 35 mg/m³ | |
| | 6 ppm | |
| MAK (OEL STEL) | 140 mg/m³ | |
| | 24 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 50.1 mg/m³ | |
| | 10 ppm | |
| OEL chemical category | Skin notation | |
| Germany - Occupational Exposure Limits (TRGS 90 | 00) | |
| AGW (OEL TWA) | 35 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| | 6 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 35 mg/m³ | |
| | 6 ppm | |
| OEL STEL | 70 mg/m³ | |
| | 12 ppm | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 80 mg/m³ | |
| | 15 ppm | |
| KGV (OEL STEL) | 170 mg/m³ | |
| | 30 ppm | |

Safety Data Sheet

| Carbitol (111-90-0) | | |
|--|---|--|
| OEL chemical category | Skin notation | |
| Switzerland - Occupational Exposure Limits | | |
| MAK (OEL TWA) | 50 mg/m³ (aerosol, inhalable dust, vapour) | |
| KZGW (OEL STEL) | 100 mg/m³ (aerosol, inhalable dust, vapour) | |
| .alphaPinene (80-56-8) | | |
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 20 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| | 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| OEL STEL | 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| | 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 150 mg/m³ | |
| | 25 ppm | |
| TPRV (OEL STEL) | 300 mg/m³ | |
| | 50 ppm | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 20 ppm (Turpentine and selected Monoterpenes) | |
| OEL chemical category | Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) | 113 mg/m³ | |
| | 20 ppm | |
| OEL chemical category | Sensitizer | |
| Sweden - Occupational Exposure Limits | <u> </u> | |
| NGV (OEL TWA) | 150 mg/m³ | |
| | 25 ppm | |
| KGV (OEL STEL) | 300 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Skin sensitizer | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) | 140 mg/m³ | |
| | 25 ppm | |
| Korttidsverdi (OEL STEL) | 175 mg/m³ (value calculated) | |
| | 37.5 ppm (value calculated) | |
| OEL chemical category | Skin notation | |

Safety Data Sheet

| Japha-Pinene (80-56-8) USA - ACGIH- Occupational Exposure Limits 20 pm (Turpantine and selected Monoterpenes) ACGIH de TLV® TWA 20 pm (Turpantine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, demail sensitizer (R)-p-mentha-1,8-diene; d-limonene (5889-27-57-57-57-57-57-57-57-57-57-57-57-57-57 | | | |
|--|---|---|--|
| ACGIH® TLY® TWA 20 ppm (Turpentine and selected Monoterpenes) ACGIH chemical category Not Classifiable as a Human Carcinogen, dermal sensitizer (Ry-p-mentha-1,8-diene; d-limonene (5989-27-5) Finiand - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m³ 25 ppm HTP (OEL STEL) 280 mg/m³ AGW (OEL TWA) 28 mg/m³ AGW (OEL TWA) 28 mg/m³ the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 35 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Sporm (the fisk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 35 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Sporm OEL TWA 28 mg/m³ 5 ppm OEL TYMA 112 mg/m³ OEL chemical category Potential for cutaneous absorption Norway - Occupational Exposure Limits OEL chemical category Sensitizer, skin - potenti | .alphaPinene (80-56-8) | | |
| ACGIH chemical category R)-p-mentha-1,3-diene; d-limonene (5989-27-5) Finland - Occupational Exposure Limits HTP (OEL TWA) HTP (OEL STEL) 280 mg/m² 50 ppm 6ermany - Occupational Exposure Limits (TRGS 900) AGWI (OEL TWA) 280 mg/m² 50 ppm 6ermany - Occupational Exposure Limits (TRGS 900) AGWI (OEL TWA) 280 mg/m² 50 ppm 6ermany - Occupational Exposure Limits (TRGS 900) AGWI (OEL TWA) 280 mg/m² 50 ppm 6ermany - Occupational Exposure Limits (TRGS 900) AGWI (OEL TWA) 280 mg/m² 50 ppm 6ermany - Occupational Exposure Limits (TRGS 900) Chemical category AGWI (OEL TWA) 280 mg/m² 50 ppm (he risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category AGWI (OEL TWA) 280 mg/m² 50 ppm 6ermical category Accupational Exposure Limits VIA-ED (OEL TWA) 668 mg/m² 30 ppm OEL chemical category Accupational Exposure Limits VIA-ED (OEL TWA) 668 mg/m² 30 ppm OEL chemical category Accupational Exposure Limits VIA-ED (OEL TWA) 670 mg/m² 270 ppm Correctional Exposure Limits VIA-ED (OEL TWA) Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous absorption Accupational Exposure Limits Findideverdi (OEL TWA) All quantified rection cutaneous ab | USA - ACGIH - Occupational Exposure Limits | | |
| Rip-p-mentha-1,8-diene; d-limonene (5889-27-5) Finiand - Occupational Exposure Limits | ACGIH® TLV® TWA | 20 ppm (Turpentine and selected Monoterpenes) | |
| Finiand - Occupational Exposure Limits HTP (OEL TWA) 140 mg/m³ 25 ppm 25 ppm HTP (OEL STEL) 280 mg/m³ 6 ormany - Occupational Exposure Limits (TRGS 900 pm) 50 ppm AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 Ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 Ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 6 Ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm 0 EL TWA) 112 mg/m³ 20 ppm 20 ppm 0 EL Chemical category Potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Exposure (I) (EL TWA) 140 mg/m³ 25 ppm 25 ppm | ACGIH chemical category | Not Classifiable as a Human Carcinogen, dermal sensitizer | |
| HTP (OEL TWAN) HTP (OEL STEL) 280 mg/m³ 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS > □ Demonstrate of Demonstrate of Demonstrate Observed) AGW (OEL TWAN) AGW (OEL T | (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) | |
| HTP (OEL STEL) 25 ppm 60 ppm | Finland - Occupational Exposure Limits | | |
| HTP (OEL STEL) 280 mg/m³ 50 ppm Germany - Occupational Exposure Limits (TRGS 90/V alues are observed) AGW (OEL TWA) AGW (O | HTP (OEL TWA) | 140 mg/m³ | |
| Formany - Occupational Exposure Limits (TRCS 90%) AgW (OEL TWA) | | 25 ppm | |
| Germany - Occupational Exposure Limits (TRGS 900) AGW (OEL TWA) 28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category 5kin notation, 5kin sensitization Siovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm 112 mg/m³ 20 ppm 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits VLA-ED (OEL TWA) 140 mg/m³ 140 mg/m³ 25 ppm Kortidsverdi (OEL STEL) 140 mg/m³ 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) Allergenic substance Switzerland - Occupational Exposure Limits KZGW (OEL STEL) 40 mg/m³ 7 ppm 40 mg/m³ <t< td=""><td>HTP (OEL STEL)</td><td>280 mg/m³</td></t<> | HTP (OEL STEL) | 280 mg/m³ | |
| AGW (OEL TWA) AGW (OEL TWA) Base and base and base of the embryo or fetus can be excluded when AGW and BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 212 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Fenseverdi (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerfand - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 7 ppm 80 mg/m³ 14 ppm | | 50 ppm | |
| BGW values are observed) 5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed) Chemical category Siovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits VIA-ED (OEL TWA) 140 mg/m³ 25 ppm Kortidsverdi (OEL TWA) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits KZGW (OEL STEL) 40 mg/m³ 7 ppm KZGW (OEL STEL) 40 mg/m³ 7 ppm KZGW (OEL STEL) 40 mg/m³ 7 ppm 80 mg/m³ 14 ppm | Germany - Occupational Exposure Limits (TRGS 90 | 00) | |
| values are observed) Chemical category Skin notation, Skin sensitization Slovenia - Occupational Exposure Limits 28 mg/m³ | AGW (OEL TWA) | 1 2 1 | |
| Slovenia - Occupational Exposure Limits OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Fenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | | | |
| OEL TWA 28 mg/m³ 5 ppm OEL STEL 112 mg/m³ OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | Chemical category | Skin notation, Skin sensitization | |
| 5 ppm 5 ppm OEL STEL 112 mg/m³ 20 ppm OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ KZGW (OEL STEL) 80 mg/m³ 41 ppm | Slovenia - Occupational Exposure Limits | | |
| OEL STEL 112 mg/m³ OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits 140 mg/m³ Genseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | OEL TWA | 28 mg/m³ | |
| DEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | | 5 ppm | |
| OEL chemical category Potential for cutaneous absorption Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ / 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ / 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ / 7 ppm KZGW (OEL STEL) 80 mg/m³ / 14 ppm | OEL STEL | 112 mg/m³ | |
| Spain - Occupational Exposure Limits VLA-ED (OEL TWA) 168 mg/m³ 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | | 20 ppm | |
| VLA-ED (OEL TWA) 168 mg/m³ 30 ppm 30 ppm OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | OEL chemical category | Potential for cutaneous absorption | |
| OEL chemical category Sensitizer, skin - potential for cutaneous absorption Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | Spain - Occupational Exposure Limits | | |
| OEL chemical category Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) Arritidsverdi (OEL STEL) OEL chemical category MAK (OEL TWA) MAK (OEL TWA) Arritidsverdi (OEL STEL) Arritidsverdi (OE | VLA-ED (OEL TWA) | 168 mg/m³ | |
| Norway - Occupational Exposure Limits Grenseverdi (OEL TWA) Expression 140 mg/m³ 25 ppm Expression 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) MAK (OEL TWA) Expression 14 ppm 40 mg/m³ 14 ppm | | 30 ppm | |
| Grenseverdi (OEL TWA) 140 mg/m³ 25 ppm Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | OEL chemical category | Sensitizer, skin - potential for cutaneous absorption | |
| Exercises the second of the se | Norway - Occupational Exposure Limits | | |
| Korttidsverdi (OEL STEL) 175 mg/m³ (value calculated) 37.5 ppm (value calculated) OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | Grenseverdi (OEL TWA) | 140 mg/m³ | |
| OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | | 25 ppm | |
| OEL chemical category Allergenic substance Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | Korttidsverdi (OEL STEL) | 175 mg/m³ (value calculated) | |
| Switzerland - Occupational Exposure Limits MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | | 37.5 ppm (value calculated) | |
| MAK (OEL TWA) 40 mg/m³ 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | OEL chemical category | Allergenic substance | |
| 7 ppm KZGW (OEL STEL) 80 mg/m³ 14 ppm | Switzerland - Occupational Exposure Limits | | |
| KZGW (OEL STEL) 80 mg/m³ 14 ppm | MAK (OEL TWA) | 40 mg/m³ | |
| 14 ppm | | 7 ppm | |
| | KZGW (OEL STEL) | 80 mg/m³ | |
| OEL chemical category Sensitizer | | 14 ppm | |
| | OEL chemical category | Sensitizer | |

Safety Data Sheet

| .betaPinene (127-91-3) | | |
|--|---|--|
| Belgium - Occupational Exposure Limits | | |
| OEL TWA | 20 ppm | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 150 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| | 25 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| OEL STEL | 300 mg/m³ (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| | 50 ppm (Turpentine produced from Nordic conifers has an irritating effect on the skin, monoterpenes, with the exception of 3-Carene, have a lesser effect) | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 150 mg/m³ | |
| | 25 ppm | |
| TPRV (OEL STEL) | 300 mg/m³ | |
| | 50 ppm | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 20 ppm (Turpentine and selected Monoterpenes) | |
| OEL chemical category | Sensitizer dermal, A4 - Not Classifiable as a Human Carcinogen | |
| Spain - Occupational Exposure Limits | | |
| VLA-ED (OEL TWA) | 113 mg/m³ | |
| | 20 ppm | |
| OEL chemical category | Sensitizer | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) 150 mg/m³ | | |
| | 25 ppm | |
| KGV (OEL STEL) | 300 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Skin sensitizer | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) | 140 mg/m³ | |
| | 25 ppm | |
| Korttidsverdi (OEL STEL) | 175 mg/m³ (value calculated) | |
| | 37.5 ppm (value calculated) | |
| USA - ACGIH - Occupational Exposure Limits | | |
| ACGIH® TLV® TWA | 20 ppm (Turpentine and selected Monoterpenes) | |
| ACGIH chemical category | Not Classifiable as a Human Carcinogen, dermal sensitizer | |
| p-Cymene (99-87-6) | | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA | 135 mg/m³ (Methylisopropylbenzenes) | |

Safety Data Sheet

| QEL STEL 25 ppm (Methylisopropylbenzenes) OEL STEL 270 mg/m² (Methylisopropylbenzenes) Estonia - Occupational Exposure Limits 40 mg/m² QEL TWA 40 mg/m² 25 ppm 25 ppm OEL STEL 190 mg/m³ Latvia - Occupational Exposure Limits 10 mg/m³ (Cymene (2.3, 4-somers mixture)) Lithuania - Occupational Exposure Limits 140 mg/m³ Lithuania - Occupational Exposure Limits 140 mg/m³ 15 ppm 190 mg/m³ 25 ppm 190 mg/m³ 25 ppm 140 mg/m³ 25 ppm 140 mg/m³ 25 ppm 140 mg/m³ 25 ppm 150 mg/m³ Key (OEL STEL) 140 mg/m³ 25 ppm 150 ppm Key (OEL STEL) 150 mg/m³ 25 ppm 150 ppm EU - Indicative Occupational Exposure Limit (OELT) 150 ppm EU - Indicative Occupational Exposure Limit (OELT) 150 ppm (mixed isomers) EU - Indicative Occupational Exposure Limit (OELT) 150 ppm (mixed isomers) Austria - Occupational Exposure Limits 150 ppm (mixed isomers) | p-Cymene (99-87-6) | |
|--|--|--|
| Estonia - Occupational Exposure Limits DEL TWA 140 mg/m³ 25 ppm 180 mg/m³ 0EL STEL 190 mg/m³ 180 mg/m³ 180 mg/m³ 180 mg/m³ 180 mg/m³ 180 TWA 100 mg/m³ 180 Lithuaria - Occupational Exposure Limits 180 mg/m³ 180 Mg/m³ 25 ppm 187 V (OEL TWA) 140 mg/m³ 28 ppm 28 ppm Sweden - Occupational Exposure Limits 140 mg/m³ Sweden - Occupational Exposure Limits 180 mg/m³ KGV (OEL TWA) 140 mg/m³ 28 ppm 25 ppm KGV (OEL STEL) 190 mg/m³ 35 ppm 35 ppm Dispropylene glycol monomethyl ether (34590+48) EU - Indicative Occupational Exposure Limit (0EL) 30 mg/m³ OEL TWA 308 mg/m³ Sweden - Occupational Exposure Limit (0EL) 50 ppm Remark possibility of significant uptake through the skin Austria - Occupational Exposure Limits 50 ppm (mixed isomers) 50 ppm (mixed isomers) 100 ppm (isomers mixtures) | | 25 ppm (Methylisopropylbenzenes) |
| Estonia - Occupational Exposure Limits 140 mg/m³ OEL STEL 25 ppm OEL STEL 39 pm m/m³ 35 ppm 35 ppm Latvia - Occupational Exposure Limits TO mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits 140 mg/m³ PPRY (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Sweden - Occupational Exposure Limits 190 mg/m³ Neveden - Occupational Exposure Limits 25 ppm KGY (OEL TWA) 140 mg/m³ 25 ppm 25 ppm KGY (OEL STEL) 190 mg/m³ 35 ppm 25 ppm Dipropylene glycol monomethyl ether (3459±4) EU - Indicative Occupational Exposure Limit (IOEL*) 190 mg/m³ EU - Indicative Occupational Exposure Limit (IOEL*) 100 pm mg/m² Austria - Occupational Exposure Limit (IOEL*) 100 pm mg/m² Austria - Occupational Exposure Limits 100 pm mg/m² MAK (OEL TWA) 307 mg/m³ (mixed isomers) MAK (OEL TWA) 100 pm/m² (somers mixtures) OEL chemical category 308 mg/m³ OEL chemical category< | OEL STEL | 270 mg/m³ (Methylisopropylbenzenes) |
| QEL TWA 140 mg/m² QEL STEL 190 mg/m² DEL STEL 190 mg/m² DEL TWA 10 mg/m² (Cymene (2. 3. 4+somers mixture)) Latvia - Occupational Exposure Limits URY (OEL TWA) 10 mg/m² (Cymene (2. 3. 4+somers mixture)) Lithuania - Occupational Exposure Limits URY (OEL TWA) 140 mg/m² 25 ppm 35 ppm Sweden - Occupational Exposure Limits Wg/ (OEL TWA) 140 mg/m² 25 ppm 25 ppm KGY (OEL STEL) 190 mg/m² Dipropylene glycol monomethyl ether (3459)→4-8) EU - Indicative Occupational Exposure Limit (NEU-TWA) Dipropylene glycol monomethyl ether (3459)→4-8) EU - Indicative Occupational Exposure Limit (NEU-TWA) OS ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m² (mixed isomers) OEL chemical category 308 mg/m² OEL chemical category 308 mg/m² | | 50 ppm (Methylisopropylbenzenes) |
| DEL STEL 190 mg/m³ OEL STEL 190 mg/m³ OEL TWA 190 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Latvia - Occupational Exposure Limits Limits - Occupational Exposure Limits 180 mg/m³ TPRV (OEL TWA) 140 mg/m³ TPRV (OEL STEL) 190 mg/m³ Sweden - Occupational Exposure Limits No Y (OEL TWA) 140 mg/m³ Limit (NEUTON) Dipropylene glycol monomethyl ether (34590-84-8) EU - Indicative Occupational Exposure Limit (NEUTON) Dipropylene glycol monomethyl ether (34590-84-8) EU - Indicative Occupational Exposure Limit (NEUTON) Dipropylene glycol monomethyl ether (34590-84-8) EU - Indicative Occupational Exposure Limit (NEUTON) OS pm Remark Possibility of significant uptake through the skin Autoria occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) Opm (mixed isomers) May (September mixtures) Opm (somers mixtures) Opm (somers mixtures) | Estonia - Occupational Exposure Limits | |
| QELSTEL 190 mg/m² Activia - Occupational Exposure Limits 10 mg/m² (Cymene (2, 3, 4-isomers mixture)) CELTWA 10 mg/m² (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits 25 ppm TPRV (OEL TWA) 140 mg/m² 25 ppm 35 ppm Sweden - Occupational Exposure Limits 190 mg/m² NGY (OEL TWA) 190 mg/m² 25 ppm 190 mg/m² 26 ppm 190 mg/m² 27 ppm 190 mg/m² 28 ppm 190 mg/m² 29 ppm 190 mg/m² 20 ppm (mixed isomers) 190 ppm (mixed isomers) <t< td=""><td>OEL TWA</td><td>140 mg/m³</td></t<> | OEL TWA | 140 mg/m³ |
| Latvia - Occupational Exposure Limits DEL TWA 10 mg/m³ (Cymene (2, 3, 445omers mixture)) Lithuania - Occupational Exposure Limits PRV (OEL TWA) 140 mg/m³ 25 ppm 25 ppm TPRV (OEL STEL) 190 mg/m³ Sweden - Occupational Exposure Limits Ngy (OEL TWA) 140 mg/m³ 25 ppm 25 ppm KKY (OEL STEL) 190 mg/m³ 35 ppm 35 ppm Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEU-1) DIPropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOEU-1) DIPropylene glycol monomethyl ether (34590-94-8) Bulgaria - Occupational Exposure Limit (IOEU-1) DIPropylene glycol monomethyl ether (34590-94-8) Bulgaria - Occupational Exposure Limit (IOEU-1) Make (OEL TWA) 308 mg/m² (iosmers mixtures) Make (OEL TWA) 307 mg/m² (iosmers mixtures) 100 ppm (iosmers mixtures) OEL chemical category 30 | | 25 ppm |
| Latvia - Occupational Exposure Limits OEL TWA 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ 25 ppm 25 ppm Sweden - Occupational Exposure Limits NGY (OEL TWA) 140 mg/m³ 25 ppm 25 ppm KGY (OEL STEL) 190 mg/m³ 35 ppm 35 ppm Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (UEU TWA) OB mg/m³ Remark 9 collisity of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 61 mg/m³ (isomers mixtures) 0EL chemical category 308 mg/m³ (isomers mixtures) 0EL plane - Occupational Exposure Limits 50 ppm OEL chemical category 308 mg/m³ 0F ppm 50 ppm OEL chemical category 308 mg/m³ <td>OEL STEL</td> <td>190 mg/m³</td> | OEL STEL | 190 mg/m³ |
| OEL TWA 10 mg/m³ (cymene (2, 3, 4-isomers mixture)) Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 440 mg/m³ / 25 ppm TPRV (OEL STEL) 190 mg/m³ / 35 ppm Sweden - Occupational Exposure Limits Ng (OEL TWA) 140 mg/m³ / 25 ppm KGY (OEL STEL) 190 mg/m³ / 35 ppm Dipropylene glycol monomethyl ether (34590+8) EU - Indicative Occupational Exposure Limit (IOEU TWA) DEL TWA 308 mg/m³ / 35 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (invited isomers) 50 ppm (invited isomers) 60 ppm (isomers mixtures) 100 ppm (isomers mixtures) 61 d. mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) 62 let remical category 368 mg/m³ 63 ppm OEL chemical category 368 mg/m³ OEL chemical category 368 mg/m³ OEL chemical category 368 mg/m³ OEL chemical category 368 mg/m³ </td <td></td> <td>35 ppm</td> | | 35 ppm |
| Lithuania - Occupational Exposure Limits IPRV (OEL TWA) 140 mg/m³ 25 ppm TPRV (OEL STEL) 190 mg/m³ 35 ppm KGW (OEL TWA) 140 mg/m³ 25 ppm KGW (OEL STEL) 140 mg/m³ 35 ppm Dipropylene glycol monomethyl ether (34590→4-8) EU - Indicative Occupational Exposure Limit (IOELT) IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) MAK (OEL STEL) 604 mg/m³ (somers mixtures) MAK (OEL STEL) 100 ppm (somers mixtures) OEL chemical category 8 in notation Belgium - Occupational Exposure Limits 308 mg/m³ OEL chemical category 8 in notation OEL chemical category 8 in skin notation OEL chemical category 8 in, Skin notation OEL TWA 308 mg/m³ 50 ppm 308 mg/m³ 50 ppm | Latvia - Occupational Exposure Limits | |
| IPRV (OEL TWA) 140 mg/m³ 25 ppm TPRV (OEL STEL) 190 mg/m³ 5 ppm Sweden - Occupational Exposure Limits NGY (OEL TWA) 440 mg/m³ 25 ppm KGY (OEL STEL) 190 mg/m³ 35 ppm Dipropylene glycol monomethyl ether (34590→4-8) EU - Indicative Occupational Exposure Limit (IOEL**) EU - Indicative Occupational Exposure Limit (IOEL**) Remark 208 mg/m³ 50 ppm Remark 70 ppm (mixed isomers) Austria - Occupational Exposure Limits 50 ppm (mixed isomers) MAK (OEL TWA) 614 mg/m³ (isomers mixtures) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category 8kin notation Belgium - Occupational Exposure Limits 308 mg/m³ OEL chemical category 8kin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ | OEL TWA | 10 mg/m³ (Cymene (2, 3, 4-isomers mixture)) |
| Processing to the processing of the processing to the proces | Lithuania - Occupational Exposure Limits | |
| TPRV (OEL STEL) 190 mg/m³ Sweden - Occupational Exposure Limits NGY (OEL TWA) 140 mg/m³ 25 ppm 25 ppm KGY (OEL STEL) 190 mg/m³ 35 ppm 35 ppm EU - Indicative Occupational Exposure Limit (IOEL**) TOBET TWA 60 ppm 308 mg/m³ 7 ppm 50 ppm Remark possibility of significant uptake through the skin Austria - Occupational Exposure Limits Top m (mixed isomers) 50 ppm (mixed isomers) 50 ppm (mixed isomers) 50 ppm (isomers mixtures) 100 ppm (isomers mixtures) 0EL chemical category 8 kin notation Belgium - Occupational Exposure Limits 50 ppm 0EL chemical category 8 kin, Skin notation Bulgaria - Occupational Exposure Limits 50 ppm 0EL chemical category 8 kin, Skin notation Bulgaria - Occupational Exposure Limits 50 ppm 0EL Chemical Category 8 kin, Skin notation | IPRV (OEL TWA) | 140 mg/m³ |
| Sweden - Occupational Exposure Limits NGY (OEL TWA) 40 mg/m³ 25 ppm KGY (OEL STEL) 490 mg/m³ 35 ppm Dipropylene glycol monomethyl ether (34590→8-) EU-Indicative Occupational Exposure Limit (IOEL**) IOEL TWA Austria - Occupational Exposure Limits Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 0EL chemical category 5kin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 05 ppm 05 ppm 06 L chemical category 308 mg/m³ 07 ppm 08 ppm | | 25 ppm |
| Sweden - Occupational Exposure Limits NGY (OEL TWA) 140 mg/m³ 25 ppm KGY (OEL STEL) 190 mg/m³ 35 ppm Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOELTWA) 10EL TWA 308 mg/m³ 60 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m² (mixed isomers) 50 ppm (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m² (isomers mixtures) 0EL chemical category 308 mg/m² (isomers mixtures) 0EL tWA 308 mg/m³ 0EL TWA 50 ppm 0EL chemical category \$kin, skin notation Bulgaria - Occupational Exposure Limits 0EL TWA 308 mg/m³ 0EL TWA 308 mg/m³ 0EL Chemical Category \$kin, skin notation Bulgaria - Occupational Exposure Limits 308 mg/m³ | TPRV (OEL STEL) | 190 mg/m³ |
| NGV (OEL TWA) 140 mg/m³ 25 ppm 25 ppm KGV (OEL STEL) 190 mg/m³ 35 ppm 35 ppm EU - Indicative Occupational Exposure Limit (IOEL TWA) 308 mg/m³ 60 ppm 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 0EL chemical category 5kin notation Belgium - Occupational Exposure Limits 308 mg/m³ 0EL TWA 308 mg/m³ 0EL chemical category 5kin, Skin notation Bulgaria - Occupational Exposure Limits 5kin, Skin notation Bulgaria - Occupational Exposure Limits 5kin, Skin notation | | 35 ppm |
| KGV (OEL STEL) Appropriate glycol monomethyl ether (34590-94-8) EU-Indicative Occupational Exposure Limit (IOEL) IOEL TWA Austria - Occupational Exposure Limits MAK (OEL TWA) Alfordicative Occupational Exposure Limits Austria - Occupational Exposure Limits Austria - Occupational Exposure Limits Alfordicative Occupational Exposure Limits Alfordica | Sweden - Occupational Exposure Limits | |
| KGV (OEL STEL) Dipropylene glycol monomethyl ether (34590-94-8) EU-Indicative Occupational Exposure Limit (IOELTWA) EU-Indicative Occupational Exposure Limit (IOELTWA) ERMARK Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin notation DEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation DEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm | NGV (OEL TWA) | 140 mg/m³ |
| Dipropylene glycol monomethyl ether (34590-34-8) EU-indicative Occupational Exposure Limit (IOELTWA) | | 25 ppm |
| Dipropylene glycol monomethyl ether (34590-94-8) EU - Indicative Occupational Exposure Limit (IOELTWA) [DEL TWA] [Austria - Occupational Exposure Limits MAK (OEL TWA) [Austria - Occupational Exposure Limits [Austria - Occupational Expos | KGV (OEL STEL) | 190 mg/m³ |
| EU - Indicative Occupational Exposure Limit (IOEL) IDEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category 8kin notation Belgium - Occupational Exposure Limits OEL TWA 0EL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation DEL TWA OEL chemical category Skin, Skin notation OEL chemical category Skin, Skin notation | | 35 ppm |
| IOEL TWA 308 mg/m³ 50 ppm Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 308 mg/m³ | Dipropylene glycol monomethyl ether (34590- | .94-8) |
| Remark Possibility of significant uptake through the skin Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category 8kin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category 8kin notation DEL TWA 308 mg/m³ 50 ppm OEL chemical category 8kin, Skin notation DEL TWA 308 mg/m³ 50 ppm OEL chemical category 8kin, Skin notation DEL TWA 308 mg/m³ 308 mg/m³ 308 mg/m³ 308 mg/m³ 308 mg/m³ 308 mg/m³ | EU - Indicative Occupational Exposure Limit (IOEL) | |
| Remark Austria - Occupational Exposure Limits MAK (OEL TWA) MAK (OEL STEL) MAK (OEL STEL) OEL chemical category Belgium - Occupational Exposure Limits OEL TWA OEL Chemical category Skin, Skin notation OEL Chemical category Skin, Skin notation OEL TWA | IOEL TWA | 308 mg/m³ |
| Austria - Occupational Exposure Limits MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL TWA 308 mg/m³ 308 mg/m³ | | 50 ppm |
| MAK (OEL TWA) 307 mg/m³ (mixed isomers) 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation | Remark | Possibility of significant uptake through the skin |
| 50 ppm (mixed isomers) MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ Skin, Skin notation | Austria - Occupational Exposure Limits | |
| MAK (OEL STEL) 614 mg/m³ (isomers mixtures) 100 ppm (isomers mixtures) OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ Skin, Skin notation | MAK (OEL TWA) | 307 mg/m³ (mixed isomers) |
| OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ Skin, Skin notation | | 50 ppm (mixed isomers) |
| OEL chemical category Skin notation Belgium - Occupational Exposure Limits OEL TWA OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ | MAK (OEL STEL) | 614 mg/m³ (isomers mixtures) |
| Belgium - Occupational Exposure Limits OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 308 mg/m³ | | 100 ppm (isomers mixtures) |
| OEL TWA 308 mg/m³ 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ 308 mg/m³ | OEL chemical category | Skin notation |
| 50 ppm OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ | Belgium - Occupational Exposure Limits | |
| OEL chemical category Skin, Skin notation Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ | OEL TWA | 308 mg/m³ |
| Bulgaria - Occupational Exposure Limits OEL TWA 308 mg/m³ | | 50 ppm |
| OEL TWA 308 mg/m³ | OEL chemical category | Skin, Skin notation |
| | Bulgaria - Occupational Exposure Limits | |
| 50 ppm | OEL TWA | 308 mg/m³ |
| | | 50 ppm |

Safety Data Sheet

| Dipropylene glycol monomethyl ether (34590-94-8) | | |
|---|---|--|
| Croatia - Occupational Exposure Limits | | |
| GVI (OEL TWA) | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Skin notation | |
| Cyprus - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Skin-potential for cutaneous absorption | |
| Czech Republic - Occupational Exposure Limits | | |
| PEL (OEL TWA) | 270 mg/m³ | |
| OEL chemical category | Potential for cutaneous absorption | |
| Denmark - Occupational Exposure Limits | | |
| OEL TWA | 309 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 618 mg/m³ | |
| | 100 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Estonia - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Skin notation | |
| Finland - Occupational Exposure Limits | | |
| HTP (OEL TWA) | 310 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| France - Occupational Exposure Limits | | |
| VME (OEL TWA) | 308 mg/m³ (restrictive limit) | |
| | 50 ppm (restrictive limit) | |
| OEL chemical category | Risk of cutaneous absorption | |
| Germany - Occupational Exposure Limits (TRGS 900) | | |
| AGW (OEL TWA) | 310 mg/m³ (isomer mixture) | |
| | 50 ppm (isomer mixture) | |
| Gibraltar - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Skin notation | |
| Greece - Occupational Exposure Limits | | |
| OEL TWA | 600 mg/m³ | |
| | 100 ppm | |

Safety Data Sheet

| Dipropylene glycol monomethyl ether (34590-94-8) | | |
|--|--|--|
| OEL STEL | 900 mg/m³ | |
| | 150 ppm | |
| OEL chemical category | skin - potential for cutaneous absorption | |
| Hungary - Occupational Exposure Limits | | |
| AK (OEL TWA) | 308 mg/m³ | |
| Ireland - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ ((2-Methoxymethylethoxy)propanol) | |
| | 50 ppm ((2-Methoxymethylethoxy)propanol) | |
| OEL STEL | 924 mg/m³ (calculated (2-(2-Methoxypropoxy)-1-propanol) | |
| | 150 ppm (calculated (2-(2-Methoxypropoxy)-1-propanol) | |
| OEL chemical category | Potential for cutaneous absorption | |
| Italy - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | skin - potential for cutaneous absorption | |
| Latvia - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | skin - potential for cutaneous exposure | |
| Lithuania - Occupational Exposure Limits | | |
| IPRV (OEL TWA) | 300 mg/m³ (2-(2-Methoxypropoxy)-propanol) | |
| | 50 ppm (2-(2-Methoxypropoxy)-propanol) | |
| TPRV (OEL STEL) | 450 mg/m³ (2-(2-Methoxypropoxy)-propanol) | |
| | 75 ppm (2-(2-Methoxypropoxy)-propanol) | |
| OEL chemical category | Skin notation | |
| Luxembourg - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Possibility of significant uptake through the skin | |
| Malta - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Possibility of significant uptake through the skin | |
| Netherlands - Occupational Exposure Limits | | |
| TGG-8u (OEL TWA) | 300 mg/m³ | |
| | 48.7 ppm | |
| Poland - Occupational Exposure Limits | | |
| NDS (OEL TWA) | 240 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy-2-methylethoxy)propan-2-ol and 2-(2-Methoxy-1-methylethoxy)propan-1-ol) | |

Safety Data Sheet

| NDSCh (OEL STEL) | 480 mg/m³ (mixture of isomers: 1-(2-Methoxy-1-methylethoxy)propan-2-ol, 1-(2-Methoxy- | |
|---|---|--|
| | 2-methylethoxy)propan-2-ol, 2-(2-Methoxy-1-methylethoxy)propan-1-ol) | |
| Portugal - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ (indicative limit value) | |
| | 50 ppm (indicative limit value) | |
| OEL STEL | 150 ppm | |
| OEL chemical category | skin - potential for cutaneous exposure indicative limit value | |
| Romania - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m ³ | |
| | 50 ppm | |
| OEL chemical category | Skin notation | |
| Slovakia - Occupational Exposure Limits | | |
| NPHV (OEL TWA) | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Slovenia - Occupational Exposure Limits | | |
| OEL TWA | 308 mg/m³ | |
| | 50 ppm | |
| OEL STEL | 308 mg/m³ | |
| | 50 ppm | |
| OEL chemical category | Potential for cutaneous absorption | |
| Spain - Occupational Exposure Limits | ' | |
| VLA-ED (OEL TWA) | 308 mg/m³ (indicative limit value) | |
| | 50 ppm (indicative limit value) | |
| OEL chemical category | skin - potential for cutaneous absorption | |
| Sweden - Occupational Exposure Limits | | |
| NGV (OEL TWA) | 300 mg/m³ | |
| | 50 ppm | |
| KGV (OEL STEL) | 450 mg/m³ | |
| | 75 ppm | |
| OEL chemical category | Skin notation | |
| United Kingdom - Occupational Exposure Limits | | |
| WEL TWA (OEL TWA) | 308 mg/m³ | |
| | 50 ppm | |
| WEL STEL (OEL STEL) | 924 mg/m³ (calculated) | |
| | 150 ppm (calculated) | |
| WEL chemical category | Potential for cutaneous absorption | |
| Norway - Occupational Exposure Limits | | |
| Grenseverdi (OEL TWA) | 300 mg/m³ | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Dipropylene glycol monomethyl ether (34590-94-8) | |
|--|--|
| | 50 ppm |
| Korttidsverdi (OEL STEL) | 375 mg/m³ (value calculated) |
| | 75 ppm (value calculated) |
| OEL chemical category | Skin notation |
| Switzerland - Occupational Exposure Limits | |
| MAK (OEL TWA) | 300 mg/m³ (aerosol, vapour) |
| | 50 ppm (aerosol, vapour) |
| KZGW (OEL STEL) | 300 mg/m³ (aerosol, vapour) |
| | 50 ppm (aerosol, vapour) |
| USA - ACGIH - Occupational Exposure Limits | |
| ACGIH® TLV® TWA | 50 ppm (Dipropylene glycol methyl ether) |

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Wear protective gloves.

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear appropriate mask

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. amber. Conforms to standard.

Odour : characteristic. characteristic.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Not available Boiling point Flammability : Not applicable Lower explosion limit Not available Upper explosion limit Not available Flash point 90.9 °C Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available

Vapour pressure : 0.001444432 mm Hg (calculated value)

Vapour pressure at 50° C : Not available Density : Not available Relative density : ≈ 0.94 Relative vapour density at 20° C : Not available Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

VOC content : 5.571025 % (calculated value)(CARB VOC) (%w/w)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Citrus medica limonum (Lemon) peel oil (8008-56-8)

LD50 oral rat 2840 mg/kg (Source: NLM_CIP)

Safety Data Sheet

| Patchouli oil (8014-09-3) | | |
|--|---|--|
| LD50 oral rat | > 5 g/kg (Source: NLM_CIP) | |
| Linalyl acetate (115-95-7) | | |
| LD50 oral rat | 14550 mg/kg (Source: EPA_HPV) | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: ECHA) | |
| LC50 Inhalation - Rat | > 18.94 mg/l (Exposure time: 8 h Source: ECHA) | |
| Linalool (78-70-6) | | |
| LD50 oral rat | 2790 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 2790 mg/kg | |
| LD50 dermal rabbit | 5610 mg/kg (Source: ECHA_API) | |
| Lavandin abrialis oil (8022-15-9) | | |
| LD50 oral rat | > 5 g/kg (Source: NLM_CIP) | |
| LD50 oral | > 5000 mg/kg | |
| Sandela (66068-84-6) | | |
| LD50 dermal rat | > 2000 mg/kg (Source: ECHA_API) | |
| LC50 Inhalation - Rat | > 5.27 mg/l/4h | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii | ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | |
| LD50 oral rat | > 3250 mg/kg (Source: CHEMVIEW) | |
| LD50 dermal rabbit | > 3250 mg/kg (Source: CHEMVIEW) | |
| LC50 Inhalation - Rat | > 5.04 mg/l/4h | |
| Carbitol (111-90-0) | | |
| LD50 oral rat | 10502 mg/kg (Source: OECD_SIDS) | |
| LD50 dermal rabbit | 9143 mg/kg (Source: OECD_SIDS) | |
| LC50 Inhalation - Rat | > 5240 mg/m³ (Exposure time: 4 h Source: NLM_CIP) | |
| .alphaPinene (80-56-8) | | |
| LD50 oral rat | 3700 mg/kg (Source: NLM_CIP) | |
| LD50 dermal rat | > 5000 mg/kg (Source: CHEMVIEW) | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) | |
| LD50 oral rat | 4400 mg/kg (Source: CHEMVIEW) | |
| LD50 dermal rabbit | > 5 g/kg (Source: CHEMVIEW) | |
| .betaPinene (127-91-3) | | |
| LD50 oral rat | > 5000 mg/kg (Source: EPA_HPV) | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) | |
| p-Cymene (99-87-6) | | |
| LD50 oral rat | 4750 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 4750 mg/kg bodyweight | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) | |
| LC50 Inhalation - Rat | > 9.7 mg/l (Exposure time: 5 h Source: EU_CLH) | |

Safety Data Sheet

| p-Cymene (99-87-6) | | |
|--|--|--|
| LC50 Inhalation - Rat (Vapours) | 9.7 mg/l/4h | |
| Estragole (Methyl chavicol) (140-67-0) | | |
| LD50 oral rat | 1230 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 1230 mg/kg | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: CHEMVIEW) | |
| Hexyl salicylate (6259-76-3) | | |
| LD50 oral rat | > 5 g/kg (Source: ECHA) | |
| LD50 dermal rabbit | > 5000 mg/kg (Source: ECHA_API) | |
| Rosemary Oil (8000-25-7) | | |
| LD50 oral rat | 5 g/kg (Source: NLM_CIP) | |
| Vetiver oil (8016-96-4) | | |
| LD50 oral rat | > 5 g/kg (Source: NLM_CIP) | |
| Trimofix O (144020-22-4) | | |
| LD50 oral rat | > 5000 mg/kg (Source: ECHA_API) | |
| LD50 dermal rat | > 2000 mg/kg (Source: ECHA_API) | |
| Sage oil, spanish (90106-49-3) | | |
| LD50 oral | 2600 mg/kg | |
| LC50 Inhalation - Rat (Dust/Mist) | 4.7 mg/l | |
| Anise oil (Spanish) (8007-70-3) | | |
| LD50 oral rat | 2250 mg/kg (Source: NLM_CIP) | |
| LD50 oral | 2200 mg/kg | |
| Dipropylene glycol monomethyl ether (34590- | 94-8) | |
| LD50 oral rat | 5.35 g/kg (Source: NLM_HSDB) | |
| LD50 dermal rabbit | 9500 mg/kg (Source: NLM_CIP) | |
| | Not classified | |
| Serious eye damage/irritation : | Not classified May assume an ellergic pkin recetion | |
| Respiratory or skin sensitisation : Germ cell mutagenicity : | May cause an allergic skin reaction. Not classified | |
| | Not classified | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | | |
| IARC group | 3 - Not classifiable | |
| 1 | Not classified | |
| STOT-single exposure : Rosemary Oil (8000-25-7) | Not classified | |
| STOT-single exposure | May cause damage to organs. | |
| Sage oil, spanish (90106-49-3) | may sauss durinage to organo. | |
| STOT-single exposure | May cause damage to organs. | |
| | Not classified | |
| • • | Not classified | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| .alphaPinene (80-56-8) | |
|--|-----|
| Hydrocarbon | Yes |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | |
| Hydrocarbon | Yes |
| .betaPinene (127-91-3) | |
| Hydrocarbon | Yes |
| p-Cymene (99-87-6) | |
| Hydrocarbon | Yes |

11.2. Information on other hazards

Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)

| 9.11-9.11-9 | | |
|--|--|--|
| Linalyl acetate (115-95-7) | | |
| LC50 - Fish [1] | 11 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [flow-through] Source: ECHA) | |
| Linalool (78-70-6) | | |
| LC50 - Fish [1] | 27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) | |
| EC50 - Crustacea [1] | 20 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| EC50 96h - Algae [1] | 88.3 mg/l (Species: Desmodesmus subspicatus) | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylii | ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | |
| LC50 - Fish [1] | 0.452 mg/l Wolf, 1996d-27682 | |
| LC50 - Other aquatic organisms [1] | > 0.14 mg/l REACH DOSSIER Pimephales promelas | |
| EC50 - Crustacea [2] | 260 μg/l REACH Dossier | |
| EC50 - Other aquatic organisms [1] | 0.131 mg/l REACH Dossier | |
| Carbitol (111-90-0) | | |
| LC50 - Fish [1] | 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) | |
| LC50 - Fish [2] | 19100 – 23900 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through] Source: EPA) | |
| EC50 - Crustacea [1] | 3940 – 4670 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| .alphaPinene (80-56-8) | | |
| LC50 - Fish [1] | 0.28 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: IUCLID) | |
| EC50 - Crustacea [1] | 41 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| | | |

Safety Data Sheet

Persistence and degradability

.beta.-Pinene (127-91-3)

Persistence and degradability

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| (R)-p-mentha-1,8-diene; d-limonene (5989-27-5) | | |
|--|--|--|
| LC50 - Fish [1] | 0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA) | |
| LC50 - Fish [2] | 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA) | |
| Trimofix O (144020-22-4) | | |
| LC50 - Fish [1] | 0.63 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA) | |
| Dipropylene glycol monomethyl ether (34590- | 94-8) | |
| LC50 - Fish [1] | > 10000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | |
| EC50 - Crustacea [1] | 1919 mg/l (Exposure time: 48 h - Species: Daphnia magna) | |
| 12.2. Persistence and degradability | | |
| BLACK OPIUM TYPE #EU38247F | | |
| Persistence and degradability | Not established. | |
| Citrus medica limonum (Lemon) peel oil (800 | 8-56-8) | |
| Persistence and degradability | Rapidly degradable | |
| Patchouli oil (8014-09-3) | | |
| Persistence and degradability | Rapidly degradable | |
| Linalyl acetate (115-95-7) | | |
| Persistence and degradability | Rapidly degradable | |
| Linalool (78-70-6) | | |
| Persistence and degradability | Rapidly degradable | |
| Cedramber (19870-74-7) | | |
| Persistence and degradability | Rapidly degradable | |
| Lavandin abrialis oil (8022-15-9) | | |
| Persistence and degradability | Rapidly degradable | |
| Sandela (66068-84-6) | | |
| Persistence and degradability | Rapidly degradable | |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | | |
| Persistence and degradability | Rapidly degradable | |
| Carbitol (111-90-0) | | |
| Persistence and degradability | Rapidly degradable | |
| .alphaPinene (80-56-8) | | |
| Persistence and degradability | Rapidly degradable | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) | |

Rapidly degradable

Rapidly degradable

Safety Data Sheet

| p-Cymene (99-87-6) | |
|--|---------------------------------------|
| Persistence and degradability | Rapidly degradable |
| Estragole (Methyl chavicol) (140-67-0) | |
| Persistence and degradability | Not established. |
| Hexyl salicylate (6259-76-3) | |
| Persistence and degradability | Rapidly degradable |
| Rosemary Oil (8000-25-7) | |
| Persistence and degradability | Rapidly degradable |
| Vetiver oil (8016-96-4) | |
| Persistence and degradability | Rapidly degradable |
| Tangerine oil (8016-85-1) | |
| Persistence and degradability | Rapidly degradable |
| Trimofix O (144020-22-4) | |
| Persistence and degradability | Rapidly degradable |
| Sage oil, spanish (90106-49-3) | |
| Persistence and degradability | Rapidly degradable |
| Anise oil (Spanish) (8007-70-3) | |
| Persistence and degradability | Rapidly degradable |
| Cedarwood, Atlas (8023-85-6) | |
| Persistence and degradability | Rapidly degradable |
| Dipropylene glycol monomethyl ether (34590- | 94-8) |
| Persistence and degradability | Rapidly degradable |
| 12.3. Bioaccumulative potential | |
| BLACK OPIUM TYPE #EU38247F | |
| Bioaccumulative potential | Not established. |
| Patchouli oil (8014-09-3) | |
| Partition coefficient n-octanol/water (Log Pow) | Not established |
| Linalyl acetate (115-95-7) | |
| Partition coefficient n-octanol/water (Log Pow) | 3.9 (at 25 °C) |
| Linalool (78-70-6) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.9 (at 20 °C (at pH 7) |
| Lavandin abrialis oil (8022-15-9) | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 2.38 - ≤ 6.3 |
| 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) | |
| BCF - Fish [1] | (1618 dimensionless (whole body w.w.) |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 (at 25 °C (at pH 7) |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Carbitol (111-90-0) | | |
|--|--|--|
| Partition coefficient n-octanol/water (Log Pow) | -0.8 | |
| .alphaPinene (80-56-8) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.1 | |
| (R)-p-mentha-1,8-diene; d-limonene (5989-27- | 5) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (at 37 °C (at pH 7.2) | |
| .betaPinene (127-91-3) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.4 (at 25 °C) | |
| p-Cymene (99-87-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | 4.8 (at 20 °C (at pH 7) | |
| Partition coefficient n-octanol/water (Log Kow) | 0 | |
| Estragole (Methyl chavicol) (140-67-0) | Estragole (Methyl chavicol) (140-67-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 3.4 (at 35 °C (at pH 7) | |
| Bioaccumulative potential | Not established. | |
| Hexyl salicylate (6259-76-3) | | |
| Partition coefficient n-octanol/water (Log Pow) | 5.5 (at 30 °C (at pH 7) | |
| Rosemary Oil (8000-25-7) | | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 3.4 – ≤ 6.23 (at 25- 37°C) | |
| Vetiver oil (8016-96-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | ≥ 3.35 – ≤ 6.32 | |
| Trimofix O (144020-22-4) | | |
| Partition coefficient n-octanol/water (Log Pow) | 5.3 – 5.8 (at 25 °C (at pH >=7-<=7.3) | |
| Dipropylene glycol monomethyl ether (34590-94-8) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.35 (at 25 °C (at pH 7) | |

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

| BLACK OPIUM TYPE #EU38247F | |
|---|-----------------------------------|
| Other information Avoid release to the environment. | |
| Estragole (Methyl chavicol) (140-67-0) | |
| Other information | Avoid release to the environment. |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Ecological waste information

HP Code

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Dispose in a safe manner in accordance with local/national regulations.
- : Avoid release to the environment.
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|--|--|---|---|---|
| 14.1. UN number or ID n | umber | | | |
| UN 3082 | UN 3082 | UN 3082 | UN 3082 | UN 3082 |
| 14.2. UN proper shippin | g name | | | |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) | Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran) |
| Transport document descr | iption | | | |
| UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, (-) | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III, MARINE POLLUTANT | UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Hexamethylindanopyran), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hexamethylindanopyran), 9, III |
| 14.3. Transport hazard | class(es) | | | |
| 9 | 9 | 9 | 9 | 9 |
| ************************************** | *************************************** | | | ************************************** |
| 14.4. Packing group | | | | |
| III | III | III | III | III |
| 14.5. Environmental haz | ards | | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-F | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information | on available | | | |

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601, 650

Limited quantities (ADR) : 5I

6/5/2025 (Revision date) EN (English) 22/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) :

EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 375, 969

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T4

Tank special provisions (IMDG) : TP1, TP29

Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

Special provisions (ADN) : 274, 335, 375, 601, 650

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6

Special provisions (RID) : 274, 335, 375, 601, 650

Limited quantities (RID) : 5L Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container special provisions : TP1, TP29

(RID)

Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12

Special provisions for carriage - Loading, unloading : CW13, CW31

and handling (RID)

Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

| EU restriction list (REACH Annex XVII) | | |
|--|--|---|
| Reference code | Applicable on | Entry title or description |
| 3(a) | Lemon oil; .alpha Pinene; d-Limonene; .betaPinene; p-Cymene; Rosemary Oil; Tangerine oil; Sage oil, spanish | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | BLACK OPIUM TYPE #EU38247F; Lemon oil; Patchouli oil; Linalyl acetate; Linalool; Cedramber; Lavandin abrialis oil; Sandela; .alphaPinene; d- Limonene; p-Cymene; Estragole (Methyl chavicol); Hexyl salicylate; Rosemary Oil; Vetiver oil; Tangerine oil; Trimofix O; Sage oil, spanish; Anise oil (Spanish); Cedarwood, Atlas | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | BLACK OPIUM TYPE #EU38247F; Lemon oil; Patchouli oil; Cedramber; Lavandin abrialis oil; Sandela; Hexamethylindanopyran; .alphaPinene; d- Limonene; p-Cymene; Hexyl salicylate; Rosemary Oil; Vetiver oil; Tangerine oil; Trimofix O; Sage oil, spanish; Anise oil (Spanish); Cedarwood, Atlas | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

VOC Directive (2004/42)

VOC content : 5.571025 % (calculated value)(CARB VOC) (%w/w)

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

France

| Occupational diseases | |
|-----------------------|---|
| Code | Description |
| RG 84 | Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide |

Germany

VOC ordinance (ChemVOCFarbV) : VOC content : 5.571025 % (calculated value)(CARB VOC)

(%w/w)

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Major Accidents Ordinance (12. BlmSchV) : Is not subject to the Major Accidents Ordinance (12. BlmSchV)

Netherlands

ABM category : A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : Lemon oil ,Sandela,Rosemary Oil,Tangerine oil are listed

SZW-lijst van mutagene stoffen : Lemon oil ,Sandela,Rosemary Oil are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen – Solstvoeding : None of the components are listed : None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

Class for fire hazard : Class III-1 Store unit : 50 liter

6/5/2025 (Revision date) EN (English) 25/27

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Classification remarks

Danish National Regulations

- : Flammable according to the Danish Ministry of Justice; Emergency management guidelines for the storage of flammable liquids must be followed
- : Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Poland

Polish National Regulations

: Act of 25 February 2011 on chemical substances and their mixtures (J. o L. No. 63, item 322 as amended; consolidated text J. o L. 2019, item 1225).

Act of 14 December 2012 on waste (J. o L. 2013, item 322 as amended; consolidated text J. o L. 2020, item 797).

The announcement of Marshal of the Sejm of the Republic of Poland dated 19 October 2016 concerning the consolidated text announcement of the decree on the management of packaging and packaging waste (J. o L. 2016, item 1863 as amended).

Decree of the Minister of Environment of 14 December 2014 on the catalogue of waste (J. o L. 2014, item 1923).

Act of 19 August 2011 on the Carriage of Dangerous Goods (J. o L. 2011 No. 227, item 1367 as amended; consolidated text J. o L. 2020, item 154).

Regulation of the Minister of Family, Labour and Social Policy of 12 June 2018 on the highest permissible concentration and intensity of noxious agents for health at work environment (J. o L. item 1286 as amended).

The announcement of Minister of Health dated 9 September 2016 concerning the consolidated text announcement of the decree of the Minister of Health of 30 December 2004 on health and safety at work related to exposure to chemical agents at work (J. o L. of 16 September 2016, item 1488)

Regulation of the Minister of Health of 2 February 2011 on tests and measurements of the noxious agents for health at work environment (J. o L. No. 33, item 166 as amended). Regulation of the Minister of Environment of 9 December 2003 on particularly hazardous substances to the environment (J. o L. No. 217, item 2141).

ADR Agreement: Government Statement of 13 March 2023 on the entry into force of amendments to Annexes A and B to the Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), signed in Geneva on 30 September 1957 (J. o. L. 2023, item 891)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information : None.

| Full text of H- and EUH-statements: | |
|-------------------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 3 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Carc. 2 | Carcinogenicity, Category 2 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | |
|-------------------------------------|--|
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Muta. 2 | Germ cell mutagenicity, Category 2 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 2 | Specific target organ toxicity – Single exposure, Category 2 |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H341 | Suspected of causing genetic defects. |
| H351 | Suspected of causing cancer. |
| H361 | Suspected of damaging fertility or the unborn child. |
| H361d | Suspected of damaging the unborn child. |
| H371 | May cause damage to organs. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.